Emissions Minimization Plan

Regulation 6, Particulate Matter, Rule 4 Metal Recycling and Shredding Operations

Sims Metal Management (SMM) - Redwood City
District Site #5152
699 Seaport Boulevard
Redwood City, CA 94063
June 2021

- □ Public Copy
- ☐ Confidential Copy

Table of Contents

Section	Page
Designation of Confidential Business Information	4
Company Description	5
Company Organizational Chart and Schedule of Management Operators	7
Operations Subject to EMP	8
Metal Management	10
Abatement and Control Equipment	15
Shredder Residue (SR) Management	16
Depollution Operations	18
Scrap Acceptance Policy	22
Management Practices to Reduce Fugitive Emissions	24
Description of Onsite Management	34
Schedule of Facility Operations	38
Technical Data	40
Five-Year Review of EMP	41
Schedule for Implementation of EMP Elements and Fugitive Emissions Reductions Realized	42
New or Future EMP Elements to be Implemented	44
Appendix List	45

Attachments

- 1 Company Organizational Chart
- 2 Scrap Acceptance Policy
- 3 Process Flow Diagrams
- 4 Facility Layout / Floor Plan

Responsible Manager Certification 6-4-404.1

I, as the Responsible Manager of this facility, hereby certify that as of this date, this Emissions Minimization Plan contains all elements and information required of a complete EMP pursuant to District Regulation Section 6-4-403 and that the information contained in this EMP is accurate.

Certified by:

Gordon Pomp Division Manager

SMM - Redwood City

Responsible Manager

Designation of Confidential Business Information

Describe the information you designate as "CONFIDENTIAL" that is trade secret or otherwise exempt under law from public disclosure. Specify what is "CONFIDENTIAL" and include specific section(s) and corresponding page number(s).

Name of Section / Page Number(s)	Description of Confidential Information
N/A	None

Company Description

The Sims Metal Management facility located at 699 Seaport Blvd. in Redwood City, California (the Facility) comprises approximately 13.5 acres and is owned by the City of Redwood City, through the Port of Redwood City (the Port), and operated by Sims Group USA Corporation, d/b/a Sims Metal Management (Sims). The Standard Industrial Classification (SIC) Code is 5093 (Scrap Recycling and Waste Recycling Facilities) and the North American Industry Classification System (NAICS) Code is 423930 (establishments primarily engaged in the merchant wholesale distribution of recyclable materials). The Facility is located at coordinates of 37.51514N & 122.22513W. The Facility is approximately 85% concrete, asphalt paved or covered with buildings or other structures.

Facility operations include (a) receiving, handling, and stockpiling of end-of-life vehicles (ELV) and other light gauge steel items such as end-of-life appliances (Light Iron), collectively referred to as Feedstock Material, and thicker steel items (e.g. beams), referred to as HMS; (b) operation of the metal shredder (Shredder) and the downstream Materials Recovery Plant (MRP) to separate and produce specification-grade ferrous and non-ferrous metal commodities (Products) from Feedstock Materials; (c) treating and separating metal from the primarily non-metallic material remaining post-MRP (SR Material); (d) storing/stockpiling, loading and shipping of recycled Products and treated SR; and (e) ancillary activities including management and storage of waste collected incident to Facility operations, as well as equipment fueling and maintenance. Shredded ferrous metal Product (Shred) is loaded in bulk as described below onto ocean-going vessels for shipment to steel mill customers. Non-ferrous metal Products (either separate Products or a mixed non-ferrous metal Product referred to as Zorba) are loaded into containers for shipment to customers via the Port of Oakland. HMS is loaded onto trucks and shipped to another Sims facility for processing and shipping.

The Facility is located in an industrial area within the Port a short distance east of and across Herkner Road from the Port's ship-loading berths located on Port wharves along Redwood Creek, a tidally influenced industrial shipping and recreational channel that flows to the San Francisco Bay. Sims engages in ship-loading operations on a periodic basis at one of those wharves, which is shared by multiple Port tenants. Ship-loading operations consist of the transfer of Shred from the Shred stockpile area at Facility directly into the hold of bulk cargo vessels by means of a ship-loading conveyor and enclosed chute.

Company Organizational Chart and Schedule of Management Operators

6-4-403.1.3

A. <u>Company Organizational Chart</u> - Attach a copy of the organizational chart of the company, which describes the business structure and includes the name of the facility's Responsible Official. Label the attachment with the corresponding Attachment #.

Attachment # 1

B. <u>Schedule of Management Operators</u> - Provide the names and contact information of the Onsite Responsible Manager(s) and Onsite Alternate Contact(s) and their duty schedule.

Onsite Responsible Manager(s)

Name: Gordon Pomp

Title: Division Manager, Redwood City

Divisior

Phone: 650-241-4305 (W), 510-230-7405

(M)

Email: Gordon.Pomp@simsmm.com
Schedule/Shift: Monday through Friday,

Variable

Name: Jeff Shell

Title: Project Manager & Electrical

Phone: 916-769-2289 (M) Email: Jeff.Shell@simsmm.com

Schedule/Shift: Monday through Friday,

Variable

Onsite Alternate Contact(s)

Name: Jerico Tuazon Title: Shredder Manager Phone: 650-468-3905 (M)

Email: Jerico.Tuazon@simsmm.com Schedule/Shift: Monday through Friday,

Variable

Name: Franciso Mejia Title: MRP Manager

Phone: 650-722-0899 (M)

Email: Francisco.Mejia@simsmm.com Schedule/Shift: Monday through Friday,

Variable

Operations Subject to EMP 6-4-402

The EMP shall address all of the following operations that are conducted at the metal recycling and shredding facility per 6-4-402 to reduce fugitive emissions.

Please check all facility operations that apply.

402.1	Roadways and Other Trafficked Surfaces	⊠ Yes	□ No
402.2	Metal Management	⊠ Yes	□ No
402.3	Shredder Residue (SR) Management	⊠ Yes	□ No
402.4	Depollution Operations	☐ Yes	⊠ No

Contents of the EMP

6-4-403

The owner or operator of the metal recycling and shredding facility subject to Regulation 6-4 shall prepare a complete and accurate EMP that details the management practices, measures, equipment and procedures that are employed or scheduled to be implemented to minimize fugitive emissions for the operations subject to the EMP.

A. Metal Recycling and Shredding Operations

- I. <u>Metal Management</u> List and provide a description of all process equipment, materials received, processed or stored, abatement and control equipment and monitoring parameters to reduce fugitive emissions. Include a comprehensive list of all abatement and control equipment for operations subject to 6-4-402 and specify the source(s) that it abates.
- II. <u>Shredder Residue (SR) Management</u> Identify the equipment or structures that are used in the management of shredder residue, including the treatment process used to reduce the leaching potential of residual soluble metals in the residue.
- III. <u>Depollution Operations</u> Describe policies and procedures pertaining to: 1) the safe removal of materials from major appliances and vehicles that require special handling prior to crushing or transferring to balers or shredders for recycling; and 2) special handling of these materials if discovered during the recycling process.
- **B.** Scrap Acceptance Policy (6-4-403.3) Provide and attach a copy of the facility's scrap acceptance policy.
- C. Management Practices to Reduce Fugitive Emissions List and provide descriptions of all management practices conducted, including preventative maintenance activities, pollution prevention, housekeeping and source reduction measures to reduce fugitive emissions of particulates. Include the frequencies or circumstances when these measures and practices are undertaken (schedule of activity).
- D. Description of Onsite Management and Schedule of Facility Operations Describe the onsite management practices of metal recycling and shredding operations to reduce fugitive emissions, including those during business hours and after the close of business. Provide the approximate schedule of operations.

Metal Recycling and Shredding Operations

I. Metal Management

METAL MANAGEMENT

Provide a description of metal management operations which include the receipt, on-site transport, collection, sorting, segregation, compilation, crushing, shredding, and storage of metals, metal-containing materials, and non-metallic materials at the metal recycling and shredding facility. Include all abatement and monitoring parameters that are employed.

Section #	Operation District S#	Description of Operation	Source Abated	District A#	Abatement Required by Permit	Type of Abatement	Abatement Monitored	Monitoring Parameters
1	Receipt	Scrap metal is received at the scale where it is inspected for prohibited materials. Scrap metal consists of end-of-life vehicles (ELV) and other ligh gauge steel items (e.g. appliances; Light Iron), collectively referred to as Feedstock Material, and thicker steel items (e.g. beams), referred to as HMS.	⊠ Yes □ No		□ Yes ⊠ No	Visual inspection of incoming loads and rejection as needed.	⊠ Yes □ No	Prohibited materials.
2	Transport	Scrap metal is transported by truck to the Feedstock Material stockpiles.	⊠ Yes		□ Yes ⊠ No	Water truck sprays all facility roadways. Sweeper truck cleans roadways. Roadways are paved/concreted.	⊠ Yes □ No	Visible emissions.
3	Collection	Feedstock Material is collected, sorted & stockpiled by commodity type (ELV, Light Iron, HMS).	⊠ Yes □ No		□ Yes ⊠ No	Water sspray on Feedstock Material stockpiles.	⊠ Yes □ No	Visible emissions.
4	Sorting / Segregation	Feedstock Material is segregated by commodity type as per #3 above.	⊠ Yes □ No		□ Yes ⊠ No	Water sspray on Feedstock Material stockpiles.	⊠ Yes □ No	Visible emissions.
5	Separation 1	Feedstock Material is separated into shredded steel product (Shred), in-process non-ferrous metal material, non-ferrous metal Product and SR Material.	⊠ Yes □ No		□ Yes ⊠ No	Water spray at designated locations. Conveyors are covered. Water/foam injected into operating Shredder mill.	⊠ Yes □ No	Visible emissions.
6	Compilation	Shredded Feedstock Material separated by commodity type is placed into the shred stockpile or non-ferrous metal bins, respectively.	⊠ Yes		□ Yes ⊠ No	Water spray from Dust Boss.	⊠ Yes □ No	Visible emissions.
7	Crushing	This facility operates no crushing equipment.	☐ Yes ☐ No		□ Yes		☐ Yes ☐ No	
8	Shredding 1	See #5 above.	⊠ Yes	3, 4, and 5	⊠ Yes □ No	Water/foam injected at Shredder mill and other Shredder control as per the Air District permit. All conveyors are enclosed.	⊠ Yes □ No	Opacity and visible emissions.
9	Storage of metals	See #6 above.	⊠ Yes □ No		□ Yes ⊠ No	Water truck, Water spray from Dust Bosses.	□ Yes ⊠ No	Visible emissions.

METAL MANAGEMENT

Provide a list of the metals received and/or processed at facility.

Section #	Name of Metal or Metal Alloy
1	Light Iron, including appliances from Certified Appliance Recyclers, with MRSH removed by the CAR.
2	ELV
3	HMS
4	Feedstock Material is processed, including by separation into shredded steel and non-ferrous metal Products.

METAL MANAGEMENT

Identify the storage piles and the types of metal and metal-containing material being stored. Indicate whether any monitoring is conducted and detail the monitoring parameters and equipment used to minimize fugitive emissions.

Section #	Description of Material	MONITORING				
	·	Monitoring Conducted	Monitoring Parameters	Monitoring Equipment	If Yes: Identify Monitoring Equipment Used	
Storage of	Delivered Scrap					
1	Shredder Feedstock Material	⊠ YES □ NO	Visible emissions	☐ YES ⊠ NO		
2	HMS	⊠ YES □ NO	Visible emissions	☐ YES ⊠ NO		
		☐ YES ☐ NO		☐ YES ☐ NO		
		☐ YES ☐ NO		☐ YES ☐ NO		
Storage of	Unprocessed Material					
3	Shredder Feedstock Material	⊠ YES □ NO	Visible emissions	☐ YES ⊠ NO		
		☐ YES ☐ NO		☐ YES ☐ NO		
		☐ YES ☐ NO		☐ YES ☐ NO		
		☐ YES ☐ NO		☐ YES ☐ NO		
Storage of	In-process Material					
4	Non-ferrous metal-bearing material (referred to as "Zorba")	⊠ YES □ NO	Visible emissions	☐ YES ⊠ NO		
		☐ YES ☐ NO		☐ YES ☐ NO		
		☐ YES ☐ NO		☐ YES ☐ NO		
		☐ YES ☐ NO		☐ YES ☐ NO		
Storage of	Finished Product					
7	Shredded Steel	⊠ YES □ NO	Visible emissions	☐ YES ⊠ NO		
8	Non-ferrous metal commodities (e.g. Zorba)	⊠ YES □ NO	Visible emissions	☐ YES ⊠ NO		
		☐ YES ☐ NO		☐ YES ☐ NO		
		☐ YES ☐ NO		☐ YES ☐ NO		
Storage of	Shredder Residue					
9	Treated SR storage stockpile	⊠ YES □ NO	Visible emissions	☐ YES ⊠ NO		
		☐ YES ☐ NO		□ YES □ NO		
		☐ YES ☐ NO		□ YES □ NO		
		☐ YES ☐ NO		☐ YES ☐ NO		

ABATEMENT AND CONTROL EQUIPMENT

Provide a comprehensive list of all District-permitted abatement and control equipment to reduce emissions.

Section #	Abatement Equipment	District A#	Name of Source(s) Abated and District Source #(s)
1	Multiple cyclone	A3	S1 Shredder
2	Multiple cyclone	A4	S1 Shredder
3	Irrigated cyclone scrubber	A5	S1 Shredder

Metal Recycling and Sh	redding O	perations
------------------------	-----------	-----------

II. Shredder Residue (SR) Management

SHREDDER RESIDUE (SR) MANAGEMENT

Describe the equipment or structures used for conveyance, storage and treatment of shredder residue (SR) during the recycling process. Include measures to minimize fugitive emissions.

Section #	Equipment or Structure	District	SR Stored in an	MONITORING			SR ADDITIVE
Secti	for Processing SR			Monitoring Conducted	Monitoring Parameters	SR Additive Used	Type and Purpose of Additive
1	Treated Shredder Residue Building for Storage and Treatment		⊠ Yes □ No	⊠ Yes □ No	Visible emissions	⊠ Yes □ No	In line treatment using an alkaline activator (typically cement) and a poly-silicate chemical (Metabond) to chemically fixate SR Material as per DTSC requirements and use as alternative daily cover (ADC).
2	Treated Shredder Residue Building for Truck Loading		⊠ Yes □ No	⊠ Yes □ No	Visible emissions	□ Yes ⊠ No	
3	Covered Screw conveyors for Conveyance to Building		⊠ Yes □ No	⊠ Yes □ No	Visible emissions	□ Yes ⊠ No	
			□ Yes □ No	☐ Yes ☐ No		□ Yes □ No	

Metal Recycling and Shredding Operations

III. Depollution Operations

DEPOLLUTION OPERATIONS

List all materials that require special handling and removal in depollution operations.

Section #	Materials Requiring Special Handling or Removal
1	PCB and certain non-PCB capacitors
2	Mercury switches
3	CFCs, HCFCs, and other refrigerants and halogenated oil
4	Used oil
5	Used gasoline
6	Batteries
7	Wiper solution
8	Coolant

DEPOLLUTION OPERATIONS

Describe the policies and procedures pertaining to the safe removal of materials from major appliances and vehicles that require special handling prior to crushing or transferring to balers or shredders for recycling. Include the measures that are implemented when these materials are discovered during the recycling process.

While the Redwood City (RWC) Facility of Sims is a Certified Appliance Recycler (#0395), at this time the Facility only receives appliances from other certified appliance recyclers (CARs) and does not engage in removal of Materials Requiring Special Handling (MRSH) from received major appliances under its own CAR certification.

At this time, the Facility also only receives previously depolluted ELVs. In the event that the Facility subsequently commences in ELV depollution operations, it expects to engage in the following sequence of steps: (a) Stage incoming ELV requiring depollution in the vehicle depollution area (fully paved and including a building for storage of automotive fluids, with used and waste fluids and other removal hazardous materials (ELV Haz Mats) in appropriately labeled containers for proper recycling or disposal); (b) removal of ELV Haz Mats; (c) place the depolluted vehicles in the Depolluted ELV Stockpile where they would be staged for shredding. While the Facility would not expect fugitive emissions generated from depollution operations, it would engage in sweeping and application of water for dust control.

In the event that this Facility engages in MRSH removal operations from major appliances or ELV depollution operations, it will amend this EMP accordingly.

Scrap Acceptance Policy

SCRAP ACCEPTANCE POLICY

Attach a copy of facility's Scrap Acceptance Policy. Label the attachment with the corresponding Attachment #.

Attachment # 2

Management Practices

to

Reduce Fugitive Emissions

MANAGEMENT PRACTICES TO REDUCE FUGITIVE EMISSIONS - ROADWAYS AND OTHER TRAFFICKED SURFACES

List and describe facility's management practices to reduce fugitive emissions from roadways and other trafficked surfaces. Detail the schedule of activities conducted.

	Section #	Management Practices to Reduce Fugitive Emissions	Schedule of Activity
	1	Facility roadways are paved/concreted	N/A
	2	Facility roadways are regularly swept	Frequently, over 8 hours per day, Monday through Saturday
	3	Speed limit of 5 mph for equipment and trucks inside the Facility	In effect at all times
ROADWAYS AND	4	Employee training	Initially for new employees, annual update for current employees.
OTHER TRAFFICKED	5	Facility roadways are regularly watered	Frequently, as needed.
SURFACES	6	Facility roadways are regularly inspected for fugitive emissions.	At least one inspection daily.

MANAGEMENT PRACTICES TO REDUCE FUGITIVE EMISSIONS – METAL MANAGEMENT

List and describe facility's management practices to reduce fugitive emissions. Include practices for receiving, processing and handling scrap and shredded materials to prevent fugitive emissions from these operations. Detail the schedule of activities conducted.

	Section # Management Practices to Reduce Fugitive Emissions		Schedule of Activity				
TRANSPORT	TRANSPORT 1 Speed limit of 5 mph. Signs posted.		During hours of operation.				
RECEIPT	2	Visual inspection of incoming truck loads to intercept and reject loads containing prohibited material. Annual training of inspectors.	When receiving incoming trucks.				
COLLECTION	3	Watering of internal roads and scrap metal stockpiles using water truck, portable dust control units, and sprinklers.	As per above "Roadway" table.				
SORTING	4	All inspectors trained to direct incoming trucks to unload Feedstock Material at appropriate storage stockpiles.	As per above "Roadway" table.				
CECRECATION		Materials entering facilty are segregated into different storage piles before further processing, including Shredder Infeed Pile (Light Iron segregated from ELVs), and HMS stockpiles.	During hours of operation when receiving incoming trucks.				
SEPARATION	6	Water/foam injected at Shredder mill. Conveyors are covered. Dust Bosses spray water mist at the material recovery plant (MRP) – the plant which separates out the non-ferrous metal products.	During hours of Shredder & MRP operation, respectively.				
COMPILATION	COMPILATION 7 Addressed by other categories above and below.		During hours of operation.				
CRUSHING	8	No crushing is conducted at this facility.	N/A				
SHREDDING	9	As noted above and as per the Air District permit for the Shredder.	During hours of Shredder operation.				
STORAGE OF METALS	SEE STORAGE PILE MANAGEMENT SECTION						
STORAGE OF METAL- CONTAINING MATERIAL	SEE STORAGE PILE MANAGEMENT SECTION						
STORAGE OF NON- METALLIC MATERIAL	SEE STORAGE PILE MANAGEMENT SECTION						

MANAGEMENT PRACTICES TO REDUCE FUGITIVE EMISSIONS – SHREDDER RESIDUE MANAGEMENT

List and describe facility's management practices to reduce fugitive emissions from processing and handling shredder residue. Detail the schedule of activities conducted.

	Section #	Management Practices to Reduce Fugitive Emissions	Schedule of Activity
	1	Water added to the Shredder is absorbed by the SR.	During hours of Shredder operation.
	2	SR treatment occurs in covered screw conveyor in a building.	During SR treatment activity.
SHREDDER	3	SR mostly is stored and loaded into trucks in treated SR building.	Routinely.
RESIDUE MANAGEMENT	4	If additional treated SR is incidentally stored outdoors, it is covered with a tarp and temperature is monitored with an infrared camera.	As needed.

MANAGEMENT PRACTICES TO REDUCE FUGITIVE EMISSIONS – DEPOLLUTION ACTIVITIES

List and describe facility's management practices to reduce fugitive emissions from processing and handling materials during depollution activities. Detail the schedule of activities conducted.

	Section #	Management Practices to Reduce Fugitive Emissions	Schedule of Activity
DEPOLLUTION ACTIVITIES	1	Not applicable at this time.	

METAL MANAGEMENT - STORAGE PILE MANAGEMENT

List and describe the facility's storage pile management practices to reduce fugitive emissions from stored materials. Detail the schedule of activities conducted.

Types of Storage	Section #	Management Practices to Reduce Fugitive Emissions	Schedule of Activity				
	1	Delivered Feedstock Material stockpiles are watered during unloading and material handling.	During all hours of operation when receiving incoming trucks as needed.				
Storage	1	Feedstock Material stockpile height is limited per the Facility's Fire Prevention and Preparedness Plan (Fire Prevention SOP).	Daily				
of Delivered Scrap	1	Facility attempts to shred substantially all stockpiled Feedstock Material each day of Shredder operation.	Daily				
Storage of Unprocessed Material	2	Unprocessed Feedstock Material storage stockpiles are watered during unloading and material handling.	As per above.				
Storage of In-process Material	3	In-process material storage piles are watered during unloading and material handling.	Whenever needed during facility operation.				
Storage of Finished Product	4	Shredded steel product stockpile is watered as needed.	Whenever needed during facility operation.				
Storage of Shredder Residue	e SEE SHREDDER RESIDUE MANAGEMENT SECTION						

METAL MANAGEMENT – STORAGE PILE MANAGEMENT

Describe facility's storage pile management practices to minimize and prevent emissions from stored materials (i.e. limiting size of piles, creating fire breaks, segregation of materials, etc.). Specifically include policies and measures to prevent and control combustion of storage pile materials.

The Facility maintains and implements a Fire Prevention and Preparedness Plan (Fire PPP) which is designed to reduce the risk of fires at the Facility but which also serves to minimize emissions from stored materials. The Fire PPP limits Feedstock Material and SR Material stockpile heights and footprints, requires creating fire breaks, and segregation of ELV from Light Iron Materials, among other requirements. The Fire PPP specifies other measures to prevent and control combustion of stockpiled materials, including requirements for addressing incipient fires.

The Fire PPP incorporates the Facility's Inbound Source Control Standard which requires training of operations employees in identification and other procedures regarding Prohibited Materials (see above Prohibited Materials List). Feedstock Material and HMS suppliers/customers must sign the Scrap Acceptance Agreement which includes the requirement to not include Prohibited Materials in inbound scrap metal. Loads or parts of loads are subject to rejection if they do not conform to these requirements. By taking steps to keep Prohibited Materials out of accepted scrap metal, the Facility reduces the risk of fires and fugitive emissions related to such Prohibited Materials. This Standard also includes inspection of inbound loads of scrap metal during and after unloading at the Feedstock Material and HMS stockpiles.

Description of Onsite Management And Schedule of Facility Operations

ONSITE MANAGEMENT PRACTICES

Provide a description of the facility's onsite management practices to reduce fugitive emissions.

BMPs for reduction of fugitive emissions are listed in the above-presented tables. Certain BMPs are noted below:

- 1. The Facility implements the Inbound Source Control Standard and requires suppliers to sign a Scrap Acceptance Agreement to keep out Prohibited Materials, some of which may result in the generation of fugitive emissions.
- 2. Facility roadways are paved/concreted, which serve to reduce fugitive emissions from incoming and outgoing truck transport.
- 3. Facility roadways are routinely swept using sweepers and wetted with the water truck.
- 4. Fugitive emissions in Facility operating areas and stockpiles are controlled by means of applying water or mist by means of a water truck, sprinklers and portable dust control units (e.g. Dust Boss).
- 5. Water and foam are injected into the Shredder mill, resulting in reduced fugitive emissions during and downstream of shredding.
- 6. Most in-process material operations are conducted in buildings or other structures with external conveyors covered or enclosed.
- 7. SR Material is transferred to a building in an enclosed screw conveyor where it is treated per DTSC requirements and loaded into trucks in a building and tarped for off-site shipment.
- 8. Shredded steel Product is transferred from stockpile to vessel by means of a covered ship-loading conveyor with a telescoping chute to minimize fugitive emissions during ship-loading.
- 9. Employee training includes initial and annual refresher training and toolbox talks including training on dust control measures.

DESCRIPTION OF ONSITE MANAGEMENT

Identify if staff are designated to observe visible emissions from metal shredding and recycling operations during business hours and after the close of business. Specify if staffing is Visible Emissions Evaluation (VEE) Certified. If onsite staffing is designated to observe visible emissions after the close of business, include a description of the duties to ensure visible emissions are minimized from storage piles of material.

Section #	Operations	Onsite Personnel DURING Business Hours to Observe Visible Emissions	Staffing to Observe Visible Emissions	Onsite Personnel AFTER Business Hours to Observe Visible Emissions	Staffing to Observe Visible Emissions	If onsite staffing is designated after the close of business to observe visible emissions, describe the specific duties to manage storage piles to prevent and minimize visible emissions.
1	Roadways and Other Trafficked Surfaces	⊠ Yes □ No	Number of Staff	⊠ Yes □ No	Number of Staff	No on-site Facility staff to observe after hours. A third-party security company
2	Metal Management	⊠ Yes □ No		⊠ Yes □ No	1 (third-party security	(contracted by the Port of Redwood City) provides one person responsible for observing visible emissions after hours (i.e., M-F 9 pm – 5 am, and 24 hours during weekend).
3	Transport	⊠ Yes □ No		⊠ Yes □ No	personnel	Facility supervisory staff when present during operations from 9 pm onward also
4	Receipt	⊠ Yes □ No	Visible Emissions	⊠ Yes □ No		observe for visible emissions.
5	Collection	⊠ Yes □ No		☐ Yes ☐ No	Visible Emissions	
6	Sorting	⊠ Yes □ No	□ Yes, # ⊠ No	⊠ Yes □ No	Certified	
7	Segregation	⊠ Yes □ No		⊠ Yes □ No	☐ Yes,# ☑ No	
8	Separation	⊠ Yes □ No		⊠ Yes □ No		
9	Compilation	⊠ Yes □ No		⊠ Yes □ No		
10	Crushing	☐ Yes ☐ No		⊠ Yes □ No		
11	Shredding	⊠ Yes □ No		⊠ Yes □ No		
12	Storage of Metals	⊠ Yes □ No		⊠ Yes □ No		
13	Storage of Metal-Containing Material	⊠ Yes □ No		⊠ Yes □ No		
14	Storage of Non-Metallic Material	⊠ Yes □ No		⊠ Yes □ No		
15	Shredder Residue Management	⊠ Yes □ No		⊠ Yes □ No		
16	Depollution Activities	☐ Yes ☐ No		☐ Yes ☐ No		

DESCRIPTION OF ONSITE MANAGEMENT

Identify any employee training provided pertaining to management practices and work practice standards to minimize fugitive emissions from recycling and shredding operations.

Section #	Employee Training
1	New employees receive initial training and current operating employees receive an annual update training on operations, including BMPs for fugitive dust control.

SCHEDULE OF FACILITY OPERATIONS

Provide the facility's schedule and hours of operation. Schedule of operations should include all shifts with specific operations identified.

Feedstock Material Receiving: Monday through Friday, 3 am to 3 pm

Feedstock Material Shredding: Monday through Friday, 5 am to noon and 6 pm to midnight.

In-Process Material Processing (MRF): Monday through Friday, Shift 1: 5 am to 2:30 pm; Shift 2: 2:30 pm to midnight.

Ship-loading: As needed, typically a few days each month, around the clock. Shift 1: 4 am to 4 pm; Shift 2: 4 pm to 4 am.

Note: Operation shift times and days of week may vary.

Technical Data 6-4-403.1

A. Process Flow Diagram - Facilities must indicate all operations in Section 6-4-402, the flow of materials used, and identify all monitoring and the processes, abatement and controls to minimize emissions beginning from material receipt to achievement of final product. Identify all equipment by source numbers according to District Permit or as exempt from District Permit. Include the abatement and control devices. Label the attachment with the corresponding Attachment #.

Attachment #3

B. Facility Layout / Floor Plan - Facilities must indicate all relative locations of processing equipment and monitoring and controls, all permitted and exempt sources identified in the process flow diagram per Section 6-4-403.1.1 and any other source(s) that may contribute to particulates. Include all building walls, partitions, doors, windows, vents and openings and indicate all areas that have abatement for particulates. Note roadways and other trafficked surfaces and indicate the types and locations of pervious and impervious surfaces. Identify all metal recycling and shredding equipment by the facility's District Permit source number or as exempt from District permit requirements and include abatement and control devices. Label the attachment with the corresponding Attachment #.

Attachment # 4

Five-Year Review of the EMP: Schedule for Implementation of the EMP Elements and Fugitive Emissions Reductions 6-4-408

- A. Provide a list of existing or current EMP elements in place during the 5-year review period (March 1, 2016 February 28, 2021). Include a list of equipment, processes and procedures installed or implemented to reduce fugitive emissions and indicate the permit status if applicable. Specify the purpose for implementation and detail any employee training that was conducted. Any associated training materials shall be made available for Air District review upon request.
- B. Provide a list of new or future EMP elements to be implemented following APCO approval of the EMP. Include a description, the purpose and schedule of the element(s) to be implemented.

A. 6-	A. 6-4-408 SCHEDULE FOR IMPLEMENTATION OF THE EMP ELEMENTS AND FUGITIVE EMISSIONS REDUCTIONS REALIZED WITHIN THE LAST 5 YEARS (MARCH 1, 2016 – FEBRUARY 28, 2021)						
Section #	Identify Type of Operation per Section 6-4-402	Description of Equipment, Processes or Procedures Implemented Between March 1, 2016 and February 28, 2021			Implementation Date	Purpose of Implementation	Description of Employee Training
1	Metal Management	Extended telestacker conveyor over shredded steel product stockpile to reduce need for movement of product by dozer.	□ A/C □ P/O □ N/A	Application # (if applicable):	2016	Minimize mobilization of particulate matter	Initial and annual update training in tailgate sessions.
2	Roadways and other Trafficked Surfaces	Hard surfacing of operating area of Facility (paving/concrete)	□ A/C □ P/O □ N/A	Application # (if applicable):	2018	Minimize mobilization of particulate matter by reduced exposure of soil to wind and tracking during operations	N/A
3	Metal Management	Dust Bosses installed at Feedstock Material stockpile, replacing Rain Bird sprinklers.	□ A/C □ P/O □ N/A	Application # (if applicable):	2020	Minimize mobilization of particulate matter	Initial and annual update training in tailgate sessions
4	Metal Management	Enclosed non-ferrous metal separation operations (Buildings B, C, D, E, F) and in 2021 extended building enclosures to the ground	□ A/C □ P/O □ N/A	Application # (if applicable):	1/2021	Minimize mobilization of particulate matter	Initial and annual update training in tailgate sessions
5	Metal Management	Replaced autoloader installed in 2012 with Sleeve Loader to load non-ferrous metal product into shipping containers	□ A/C □ P/O □ N/A	Application # (if applicable):	1/2021	Minimize mobilization of particulate matter	N/A
6	Metal Management	Upgraded Foam Injection System installed in 2013 to provide for upgraded foam delivery.	□ A/C □ P/O □ N/A	Application # (if applicable):	1/2021	Minimize mobilization of particulate matter.	Initial and annual update training in tailgate sessions
7	Metal Management	Reconfigured double-decker conveyor system which moves material to MRP.	□ A/C □ P/O □ N/A	Application # (if applicable):	2/2021	Minimize mobilization of particulate matter.	N/A
8	Metal Management	Relocated covered non-ferrous metal product bunkers/bays and product loader & replaced product loader with enclosed loader.	□ A/C □ P/O □ N/A	Application # (if applicable):	3/2021 (relocated)	Minimize mobilization of particulate matter by placing bays and product loading in more wind-protected area and by replacing loader with one with enclosed loading operation.	Initial and annual update training in tailgate sessions.
9	Metal Management	Relocated Non-ferrous bunkers for ZBM from southeast to southwest corner for proximity to production and shipping points.	□ A/C □ P/O □ N/A	Application # (if applicable):	3/2021	Minimize mobilization of particulate matter in a more wind-protected area.	N/A.

A. 6-	A. 6-4-408 SCHEDULE FOR IMPLEMENTATION OF THE EMP ELEMENTS AND FUGITIVE EMISSIONS REDUCTIONS REALIZED WITHIN THE LAST 5 YEARS (MARCH 1, 2016 – FEBRUARY 28, 2021)						
Section #	Identify Type of Operation per Section 6-4-402	Description of Equipment, Processes or Procedures Implemented Between March 1, 2016 and February 28, 2021	Permit Status		Implementation Date	Purpose of Implementation	Description of Employee Training
1	Metal Management	Enclosed post-Shredder magnet.	□ A/C □ P/O □ N/A	Application # (if applicable):	3/2021	Minimize mobilization of particulate matter	N/A
2	Metal Management	Installed vibratory conveyor to transfer in- process material to MRP, replacing belt conveyor and trommel.	□ A/C □ P/O □ N/A	Application # (if applicable):	3/2021	Minimize mobilization of particulate matter	N/A
3	Metal Management	Installed screw conveyor to transfer in- process material, replacing belt conveyor.	□ A/C □ P/O □ N/A	Application # (if applicable):	3/2021	Minimize mobilization of particulate matter	N/A
4	Metal Management	Dust Boss installed on MRP Tower.	□ A/C □ P/O □ N/A	Application # (if applicable):	5/2021	Minimize mobilization of particulate matter	Initial and annual update training in tailgate sessions.
			□ A/C □ P/O □ N/A	Application # (if applicable):			
			□ A/C □ P/O □ N/A	Application # (if applicable):			
			□ A/C □ P/O □ N/A	Application # (if applicable):			
			□ A/C □ P/O □ N/A	Application # (if applicable):			
			□ A/C □ P/O □ N/A	Application # (if applicable):			

#			Duning to all		
Section #	Identify Type of Operation per Section 6-4-402	List Specific Elements to be Implemented Following APCO Approval of the Updated EMP	Projected Implementation Date	Description of Elements to be Implemented	Purpose of Implementation
	Metal Management	Install upgraded conveyors to transfer in-process material	10/2021	Three enclosed conveyors	Minimize mobilization of particulate matter.
	Metal Management	Upgrade enclosure and particulate matter (PM) controls for Shredder	2022-23 (subject to permitting, etc.)	Replace wet scrubber system with alternative PM controls	Minimize mobilization of particulate matter.
	Metal Management	Install post-magnet cyclone	2022	Cyclone	Minimize mobilization of particulate matter.
	Metal Management	Install upgraded conveyors transferring in- process material from Shredder and between MRP operations	2022	Enclosed conveyors	Minimize mobilization of particulate matter.
	SR Management	Upgrade rollup doors for and expand treated SR storage building	2021 & 2023, respectively (subject to permitting, etc.)	Building expansion	Minimize mobilization of particulate matter.

Appendix


Insert any attachments and supplemental information within the corresponding sections of the EMP or at the end of this document. Label each attachment with the corresponding Attachment #.

In the table below, list each Attachment # and provide the Page # and Section # (if applicable) of the EMP where the material is referenced.

Attachment #	Reference to Page # and Section # of EMP
1	Page #7, Section # Introduction
2	Page #23, Section # III
3	Page #40, Section # III
4	Page #40, Section # III
	Page # , Section #

ATTACHMENT 1 COMPANY ORGANIZATIONAL CHART

Organizational Chart Sims Metal Management, Redwood City Division



ATTACHMENT 2 SCRAP ACCEPTANCE POLICY



The following materials are prohibited from accep-

tance at Sims Metal Management (SMM) Facilities, except by special arrangement with SMM:

- 1) Non -Recyc lable Mat er ials of any kind, including asphalt, concret e, debris, dirt, rags, tires, trash.
- 2) Non- Hazardous Free- flowing Liquids including water.
- 3) Hazardous Free- flowing liquids including gasoline, motor oil, hydraulic fl uids, anti-freeze, oil paint or ot her lubricants or pet ro leum products, except as contained in who le vehicles SMM pur chases for vehicle depollution
- 4) Flam mable and Combustible Materials.
- Corrosive Mat erials such as soda ash or broken batteries. Who le batt eries may be accepted for recycling at some facilities.
- 6) Radioact ive Materials of any type (e.g., military scrap, medical scrap, thickness measuring devices)
- 7) Exp losive Mat erials or pot entially explo sive mat erials of any type, such as munitions scrap (e.g., ammunition, shells].
- B) Chemicals or Poisons in solid, powder, liquid, or gaseous for m (e.g., fertilizers).
- 9) Infect ious Mat erials (e.g. in r ed bags or mar ked by the infect ious symbol)
- 10) Pressur ized Con t ainer s or Cylin der s including pro pane tanks, compressed gas t anks, aerosol cans, or ext ingu isher s, exce pt if the closed cylinder has been vented or if accepted under special arrangement.
- 11) Closed Co nt ain ers including bulk st ora ge t anks and process
- 12) Con t ain er s t hat fo rmer ly cont ained hazar dous mat er ials including drums, bulk st or age t ank s, pr ocess vesse ls, paint cans and/ or aer oso I cans excep t if t he containers are certified as empty per applicable law, properly cut open for inspect ion to verify t hat they are empty.



- 13) Any Materia Is Cont aini ng CFCs, HCFCs or non- exempt refrigerant substitutes t hat have not be evacuat ed, except as contained in whole appliances SMM purchased for appliance depollution.
- 14) Lead-cont aining mat er ials, except when pur chased as a lead bearing commodity
- 15) PCB-containing materials (e.g., capacitors, ballasts and transform-ers).
- 16) Asbes t os- cont aining mat er ials (ACM), such as pipe insulation or surfacing mater ials.
- 17) Mercur y- cont aining mat erials [e.g. swit ches, fluorescent or mercury vapor lights/ fixtures/ bulbs, thermost ats), except as cont ained in whole vehicles/appliances SMM purchases for vehicle/appliance depollution
- 18) Cathode ray tubes (CRTs), li quid cr yst al displays (LCDs) or any device containing a CRT or LCD (e.g. computer monitor, laptop screen or television set), except at specifically designated electronics drop-off areas.
- Any other material containing hazardous wastes or toxic substances.

REQ U IREMENTS FOR CERTAIN COMMODITIES ACCEPTED BY SIMS METAL MANAGEMENT

Processe d Automobiles must have the following removed prior to delivery:

- 1) Fluids -
 - Oil s (motor oil, transmission fl uid, power st eering and brake fluid fr om reser voir s)
 - FuelCoolant
 - Refrigerant
- Any other fluids required by st at e/ local law (e.g., washer fluid, ayle fluid)
- Batteries and leaded battery cable ends (Except as a separat ed comm odity)
- Mercur y-cont aining convenience light switches and any other mercur y containing components as required by law
- 4) Air bag deployment canisters
- 5) No trash, dirt or wast es of any type
- 6) Tires [except as specifically allowed by the facility)
- 7) Electronic Waste

SIMS METAL MANAGEMENT

600 S 4th Street

Richmond, CA 94804

(510)412-5300

PREVENTING METAL THEFT

Sims Met al Management does not pur cha se st olen mat eria ls. If CompanyPer sonnel suspect mat er ials of being st olen, t hey may tu rn away t he cust omer, and may not if y local law enforcement.



Sims Met al Management follows all federal, state and local regulations that apply to the pur chase of scrap vehicles and ot her scrap met al to assist in the pre venting the pur chase of stolen met als. If you have specific questions about these local and State regulations, please contact your local SMM representative or SMM scale personnel.

- SMM reserves the right to refuse any transact ion it believes may be in violat ion of the law or that may cont ain st olen materials
- All sellers of metal must supply ident ifi cation.
- 3) All transa ctions will be documented, and in some cases depending on the location, loads and certain materials will be photographed 4) Please note that recyclers are often the victims of metal theft. SMM reserves the right to c onduct video surveillance of our facilities and business operations.

OUR COMMITMENT TO THE SAFETY, HEALTH, ENVIRON-MENT AND THE COMMUNITY (SHEC)

In January of 2012, Sims Metal Management was recognized as one the World's Top 100 Most Sustainable Corpor at ions at the 2012 World Economic For um in Davos, Swit zerland for the third year in a row-moving up 52 spots in the rankings to number 11.

Sims Met al Management has a st rong commitment to the envir onment, sust ainabilit y and the healt h of the communities in which we do business. In all aspects of the business, Sims st rives to implement best practices and fulfill the ideals of our Safet y, Health, Envir onment and Community (SHEC) Policy.

Sims Met al Management is committed to the community, supporting local educators, schools, charity, community and environment all organizations throughout the globe.

We take seriously our efforts to be a go od community and enviro nmental part ner. Everyday Sims Met al Management emp loyees make a posit ive impact on the environment.

In Fiscal 2011, Sims Metal Management 's global carbon footprint was more t han 300,000 met ri c t ons, a reduct ion of 2% over Fiscal Year 2010. That compares to t he 13 million metric t ons of carbon emissions est imat ed as saved by Sims' recycling of steel alone [co mpared wit h the mining of ore and manufacture of raw material for steel production)- a ratio of 1 to 42.

May 2012

THANK YOU FOR RECYCLING WITH THE WORLD'S FULL SERVICE RECYCLER. WE APPRECIATE YOUR BUSINESS.

'r°J1-GEMENT

POLITICA PARA LAACEPTACION DE MATERIALES

Se prohibe aceptar los siguientes mat eriales en las Inst alaciones de SIMS Metal Management (SMM], excepto por un acuerdo especial con SMM:

- Mat eria les no reciclables de cualquier tipo, incluyendo asfalto, concrete, escombros, tierra, harapos, neumaticos, basura.
- 2) Liquidos de flujo libre no peligrosos, incluyendo el agua.
- 3) Liquidos de flujo libre peligrosos, incluyendo gasolina, aceit e para motores, fluidos hidraulicos, ant i-congelant es, pint ur as a base de aceit e y otros lubricant es o productos derivados del petrôleo, except □ las cont enidos en vehículos complet os que SMM compra para descontaminación de vehículos.
- 4) Mat eria les inflamables y combust ibles
- Mat er iales com osivos t ales coma carbonate de sodio o baterias dafiadas Algu nos centros probablement e acepten las bat er ias enteras para su reciclado.
- 6) Mat er iales radio ac t ivos de cualquier tipo (ej.: desechos milit ar es, desechos medicos, disposit ivos de medici\u00dfn de espesor\u00e1.
- Mat er iales explos ives o mat er iales pot encialment e explosivos de cualquier t ipo, t ales coma desecho s de municiones (ej.. municiones, casquillos).
- 8) Oui mi cos o venenos en estado s61ido, en polvo, liquido o gaseoso [ej.: fert ilizant es].
- 9) Mat eria les infecc iosos (ej.: en balsas r oj as o etiquetados con el simbolo de contagioso).
- 10) Recip ient es o cilind r os pr esur izados, incluyendo tanques de propano, t anques de gas compr imido, lat as de aer oso l o extintores de incendio; exc ept o si el cilindr o cer r ado ha sido vent ilado a si se acepta bajo un acuerdo especial.
- 11) Recip ient es cer rados, incluyendo tanques de almacenamient o a grane I y recip ient es de pro cesamient o.
- 12) Recipient es que ant er ior ment e cont enian mat er iales peligrosos, incluyendo t ambor es, tanques de almacena mient o a granel, r ecipient es de procesam ient o y/ o lat as de aerosol, excepto si las r ecipient es estan cert ificados coma cerrado s segun la ley cor respondient e, abiert os



adecu adament e para su inspección para verificar que est en vacios.

- 13) Cualquier mat erial que contenga CFC, HCF C o sustitut os de r efrigerant es no except uados que no hayan sido depuest os, exc ept □ la s que cont ienen las art efact os enteros que SMM compra para la descontaminaci
- 14) Materiales que contengan plomo, except o cuando se los compra coma materias primas hechas de plomo.
- 15) Materiales que contengan PBC [ej.: capac it ores, balastos y transformadores).
- 16) Mat er iales que cont engan asbestos (ACM, par sus siglas en ingles), tales coma aislamient os de t uber ias y mat er iales de superficie.
- 17) Materiales que con tengan mercurio (ej.. interruptores, luces/apli qu'es/ focos fluorescent es o de vapor de mercuric, termost atos), except □ el que contienen los art efact os/ vehic ulos que SMM compr a para descont aminación de vehiculos/ar tefactos.
- 18) Tubas de rayos cat 8dicos (CRT, par sus siglas en ingles], pantallas de cr ist al liquido [LCD, por sus siglas en ingles] o cualquier disposit ivo que cont enga CRT o LCD (ej.: monit or es de comput adora s, pant allas de lapt ops o televisores], except o en ar eas espec if icament e designadas para dej ar equipos elect r\u00f3nicos.
- Cu alqui er otro mat erialque contenga desechos peligr osos o sustancias tôxicas.

REQUISITOS PARA CIERTAS MATERIAS PRIMA S ACEPTADAS POR SIMS METAL MANAGEMENT

A las aut om6 viles procesados primero se le deben retirar las siguient es ant es de ent regar los:

- 1) Fluidos -
 - Aceit es (aceit es del motor, fluido de la transmisi\u00f3n, liquido de direcci\u00d3n asistida y de Freno de las dep\u00d8sitos)
 - Combustible
 - Enfr iam ient o
 - · Refrigerante
- Cualquier otro fluida requerido par la ley est at al/ local (ej .: liquido de lavado, liquido del eje)
- 2) Baterias y terminaciones de baterias con plomo
- Interruptores de luces que contengan mer curio y cua lquier otro tipo de componentes que contengan mercurio segun lo requiera la ley.
- Cart uc hos de despliegue de los air-bags.
- 5) Ning un tipo de basura, mugre o desechos
- 6) Neumat icos (excepto aquellos especificamente permit idos par la inst alaci 6n)
- 7) Residuous Electronicos

SIMS METAL MANAGEMENT

600 S 4th Street

Richmond, CA 94804

COMO EVITAR EL ROBO DE METALES

Sims Met al Managemen t no compra mat eriales r obados. Si alguna persona de la empresa sospecha que algun mat erial es r obado, puede evidenc iar al client s, y puede dar aviso a las autoridades locales.



Sims Metal Management respeta todas las r egulaciones fe derale s, est at ales y locales que aplican a la compra de vehiculos fuera de uso y el met al fuera de uso para ayudar en la prevención de la compra de met ales robados. Si tiene pr egunt as espec i ficas acerca de estas regulaciones locales y est at ales, comuniquese con su representante local de SMM o con el personal de SMM.

- SMM se reserva el derecho de negarse a cualquier transacción que or ea que pueda suponer una violación a la ley o que pueda contener materiales robados.
 Todos los vendedores deben propor cionar una identificación.
- 3) Se document aran todas las transaccio -

nes, y en alg unos casos, dependiendo de la ubicación, se t omaran fotografías de ciert as cargas y materiales

4) Tenga en cuent a que las recicladores generalment e son victimas de robo de met ales. SMM se reserva el derecho de contar con vigilancia de video de nuestras instalaciones y opera ciones comerciales

NUESTAO COMPROMISO CON LA SEGURIDAD, SALUD, MEDIC AMBIENTE Y LA COM UN IDAD (SHEC, par sus siglas en ingles)

En ener o de 2012, Sims Met al Mana gement fue r ec onoc ida par t ercer afio conse cut ive coma una de las 100 Corpor aciones mas apt as del Mundo en el Fora Econômico Mundial 2012 que se llevô a cabo en Da vos, Suiza; escalando 52 posic iones en las rankings llegando a la posic iôn numero 11

Sims Met al Management tiene un Fuerte compromise con el media ambient e, la sost enibilidad y con la salud de las comunidades en las cuales hacemos negocios. Sims se esfuerza en implement ar las mej or es practices y cumplir con las ideales de nuest ra Politics de Seguridad, Salud, Med ia Ambient e y Comunidad (SHEC, par sus siglas en ingles] en todos las aspectos del negocio

Sims Met al Management esta compromet ido con la comunidad mediant e el apoyo de educadores, escue las, or gan izaciones de car idad, comunit ar ias y medioambient ales locales en todo el mundo.

Nos t omamos muy en ser io nuestros esf uer zos de ser un buen socio comunit ario ya favor del media ambient s Todos las dias, las empleados de Sims Met al Management ej er cen un impact o posi t ivo sabre el med ia ambient e.

Durant e el afi o fisca l 2011, la huella de car bono mundial de Sims Met al Man agement fue de mas de 300.000 t oneladas met ricas, una reducción del 2% respecto del afio fiscal 2010. Es to se compara con las 13 millones de toneladas metricas de emisiones de carbono estimadas coma ahorradas par el reciclaje unicament e de acero de Sims [comparado con la mineria de minera les y la fabricación de materias primas para la producción de acero); una proporción de 1 a 42.

May 20:

GRACIAS POR RECICLAR CON EL RECICLADOR DE SERVICIO COMPLETO MUNDIAL. AGRADECEMOS SU PREFERENCIA.

www.simsmm.com/us/scrapacceptance o llame al

para más información.





ENVIRONMENT, HEALTH & SAFETY (EHS) INBOUND MATERIAL CONTROL

Exhibit A – PROHIBITED MATERIALS LIST

West Region Rev: September 2016 Page 1 of 1

The following materials are prohibited from acceptance at SMM Facilities, except for certain materials by special arrangement, in writing, with SMM:

- 1 Non-Recyclable Materials of any kind, including asphalt, concrete, debris, dirt, rags, tires, trash;
- 2 Non-Hazardous Free-flowing Liquids including water;
- **Hazardous Free-flowing Liquids** including gasoline, diesel fuel, motor oil, hydraulic fluids, anti-freeze, oil, paint, anti-freeze or other lubricants or petroleum products, except as typically contained in whole automobiles purchased by SMM for processing following vehicle depollution;
- 4 Flammable and Combustible Materials (including diesel fuel and gasoline);
- **5** Corrosive Materials such as soda ash or lead-acid batteries;
- 6 Radioactive Materials of any type (e.g., military scrap, medical scrap, thickness measuring devices);
- **TEXPLOSIVE Materials** or potentially explosive materials of any type, such as munitions scrap (e.g., ammunition, shells);
- **8** Chemicals or Poisons in solid, powder, liquid, or gaseous form (e.g., fertilizers);
- 9 Infectious Materials (generally placed in red bags or marked by the "infectious" symbol);
- **10** Pressurized Containers or Cylinders including propane tanks, compressed gas tanks, aerosol cans, or extinguishers, except if the cylinder has been certified as properly vented;
- 11 Closed Containers Formerly Containing Non-Hazardous Materials, including bulk storage tanks and process vessels;
- 12 Containers Formerly Containing Hazardous Materials including drums, bulk storage tanks, process vessels, paint cans and/or aerosol cans except if the containers are certified as empty per applicable law and cut open and can be inspected to verify that they are empty in accordance with SMM's empty container requirements.
- 13 Any Materials Containing CFCs, HCFCs or Refrigerant Substitutes;
- **14 PCB-containing materials** (e.g., capacitors, ballasts and transformers);
- 15 Asbestos-containing materials (ACM), such as pipe insulation or surfacing materials.
- **16 Mercury-containing materials** (e.g. switches, fluorescent or mercury vapor lights/fixtures/bulbs, thermostats), except as contained in whole cars SMM purchased for vehicle depollution.
- 17 Cathode ray tubes (CRTs), liquid crystal displays (LCDs) or any device containing a CRT or LCD (e.g. computer monitor, laptop screen or television set), except at a designated Electronic Material receiving area.
- 18 Hazardous Waste Any Material containing hazardous or toxic substances or wastes.

REQUIREMENTS FOR CERTAIN COMMODITIES ACCEPTED BY SIMS METAL MANAGEMENT

Automobiles must have the following removed prior to delivery (except whole automobiles purchased by SMM for processing following vehicle depollution): fluids (e.g., fuel, motor oil, coolant, refrigerant, hydraulic fluids) to the extent practicable or otherwise required by law, batteries, leaded battery cable ends, mercury convenience light switches, other mercury containing devices as required by law (e.g., in certain states mercury headlamps, back lit displays), and air bag canisters as required by law.


Lead Acid Batteries are accepted at most SMM facilities unless cracked, broken, burned or with missing caps.

California – certain "Materials Requiring Special Handling" may remain in certain appliances if the SMM facility is serving as **Certified Appliance Recycler** for those materials.


Electronic Material – Each State has its own requirements regarding which of this material may be accepted and under what requirements, e.g. in California a facility may accept certain "electronic devices" as "Universal Waste."

ATTACHMENT 3PROCESS FLOW DIAGRAMS


Overall Process Diagram Sims Metal Management, Redwood City



Shredding Process Diagram (with BMPs) Sims Metal Management, Redwood City



Materials Recovery Plant Separation Process Diagram (with BMPs) Sims Metal Management, Redwood City



ATTACHMENT 4 FACILITY LAYOUT / FLOOR PLAN

Emissions Minimization Plan

Sims Metal Management, Redwood City CA Site# 5152

