# **Emissions Minimization Plan**

## Regulation 12, Miscellaneous Standards of Performance, Rule 13 Foundry and Forging Operations

USS-POSCO Industries District Site #2371 900 Loveridge Road Pittsburg, CA 94565 May 20, 2021

Public Copy

□ Confidential Copy

# Table of Contents

Company Description	5
Schedule of Management Operators	7
Operations Subject to EMP and Schedule of Operations	9
402.2 Metal Management	. 15
402.4 Forging Operations	25
Description of Abatement and Control Equipment	51
Technical Data	

*I, as the Responsible Manager of this facility, hereby certify that as of this date, this Emissions Minimization Plan contains all elements and information required of a complete EMP pursuant to District Regulation Section 12-13-403 and that the information contained in this EMP is accurate.* 

Middhals

Dated: May 19, 2021

Michael Marlowe, Director of Environmental Affairs

Responsible Manager

Certified by:

# Designation of Confidential Business Information

Describe the information you designate as "CONFIDENTIAL" that is trade secret or otherwise exempt under law from public disclosure. Specify what is "CONFIDENTIAL" and include specific section(s) and corresponding page number(s).

Description of Confidential Information

USS-UPI, LLC (UPI) is a wholly-owned subsidiary of United States Steel Corporation that operates a steel finishing plant in Pittsburg, California.

UPI receives hot-rolled steel coils by ship and/or rail and converts them into the following steel products: hot-rolled pickled & oiled sheet; cold-rolled sheet; galvanized sheet; tinplate; tin-free steel; and tin-mill blackplate. UPI's production processes include pickling, cold rolling, cleaning, annealing, hot-dip galvanizing, temper rolling, side-trimming, and electrolytic tin and Cr/CrO coating.

# Company Organizational Chart and Schedule of Management Operators 12-13-403.1.3

A. <u>Company Organizational Chart-</u> Attach a copy of the organizational chart of the company, which describes the business structure and includes the name of the facility's Responsible Official. Label the attachment with the corresponding Attachment #.

#### Attachment # A

*B.* <u>Schedule of Management Operators</u> - Provide the names and contact information of the Onsite Responsible Manager(s) and Onsite Alternate Contact(s) and their duty schedule.

#### Onsite Responsible Manager(s)

Name: Michael Marlowe Title: Director of Environmental Affairs Phone: (925)303-9920 Email: michaelmarlowe@ussposco.com Schedule/Shift: M-F, 7am-4pm

Name: Title: Phone: Email: Schedule/Shift:

#### Onsite Alternate Contact(s)

Name: Tyler Lee Title: Environmental Compliance Supervisor Phone: (925) 439-6433 Email: tylerlee@ussposco.com Schedule/Shift: M-F, 7am-4pm

Name: Vicky Cai Title: Environmental Compliance Engineer II Phone: (925)439-6278 Email: VickyCai@ussposco.com Schedule/Shift: M-F, 730am-430pm

## Contents of the EMP

## 12-13-403

The owner or operator of the foundry or forge subject to Section 12-13-401 shall prepare a complete and accurate EMP that details the management practices, measures, equipment and procedures that are employed or scheduled to be implemented to minimize fugitive emissions of particulate matter and odorous substances for the operations subject to the EMP.

#### A. Operations Subject to EMP and Schedule of Operations

- **B.** Description of Operations Facilities with operations under 12-13-402 must list and provide description of all process equipment, material usages, abatement and control equipment and monitoring parameters to reduce fugitive emissions of particulates and odors. Please provide information for all the following operations that apply.
- **C. Management Practices to Reduce Fugitive Emissions** Facilities with operations under 12-13-402 must list and provide descriptions of all preventative maintenance activities, pollution prevention and source reduction measures to reduce fugitive emissions of particulates and odors. Provide schedules of activities conducted.
- **D.** Description of Abatement and Control Equipment- Facilities must provide a comprehensive list of all abatement and control equipment for operations subject to 12-13-402 and name the source(s) of operation it abates.

#### A. Operations Subject to EMP and Schedule of Operations

The EMP shall address all of the following operations that are conducted at a foundry or forge per 12-13-402.

Please check all facility operations that apply and provide the schedule of operation.

	Operation	Schedule of Operations
□ 402.1	Mold and Core Making Operations	
⊠ 402.2	Metal Management	Up to 24 hours a day, 7 days a week. Permitted to run 8640 hours per year per production line.
□ 402.3	Furnace Operations, including tapping and pouring	
⊠ 402.4	Forging Operations	Up to 24 hours a day, 7 days a week. Permitted to run 8640 hours per year per production line.
□ 402.5	Casting and Cooling Operation	
□ 402.6	Shake Out Operations	
□ 402.7	Finishing Operations	
□ 402.8	Sand Reclamation	
□ 402.9	Dross and Slag Management	

# 402.1 Mold and Core Making Operations

B.	Description of Ope	rations - MOLD	AND CORE	MAKING OPER	ATIONS							
			NAME OF MATERIALS USED IN MOLDING OPERATIONS			1		ABATEN	/IENT			
Section #	Equipment Name and Manufacturer /Model #	District S# and Applicable NESHAPs Section	Binders	Coatings	Adhesives	Mold Release Agents	Other	Source Abated	Abatement Required by Permit	А#	Type of Abatement and Purpose of Abatement	Abatement Monitored
								□ Yes □ No	□ Yes □ No			□ Yes □ No
								□ Yes □ No	□ Yes □ No			□ Yes □ No
								□ Yes □ No	□ Yes □ No			□ Yes □ No
								□ Yes □ No	□ Yes □ No			□ Yes □ No
								□ Yes □ No	□ Yes □ No			□ Yes □ No
								□ Yes □ No	□ Yes □ No			□ Yes □ No
								□ Yes □ No	□ Yes □ No			□ Yes □ No

г	
Abatement Monitored	Monitoring Parameters
☐ Yes ☐ No	
□ Yes □ No	
□ Yes □ No	
□ Yes □ No	

## **B. Description of Operations – MOLD AND CORE MAKING OPERATIONS**

Provide information on binders used in mold and core making operations.

Section #	Name of Binder	Binder Mix Ratio	Name of Source(s) and/or District S# Where Binder Is Used	Product Specification per MSDS
				VOC CONTENT (%):
				PHENOL CONTENT (%):
				VOC CONTENT (%):
				PHENOL CONTENT (%):
				VOC CONTENT (%):
				PHENOL CONTENT (%):
				VOC CONTENT (%):
				PHENOL CONTENT (%):
				VOC CONTENT (%):
				PHENOL CONTENT (%):
				VOC CONTENT (%):
				PHENOL CONTENT (%):

## C. Management Practices to Reduce Fugitive Emissions – MOLD AND CORE MAKING OPERATIONS

Provide description of preventative maintenance (PM) activities including PM schedules and work practice standards for each abatement device for core and mold making operations.

Section #	Name of Abatement Device and Manufacturer/Model #	Description of Preventative Maintenance Activity and Work Practice Standards	Schedule of PM

## C. Management Practices to Reduce Fugitive Emissions – MOLD AND CORE MAKING OPERATIONS

Provide description of other housekeeping measures to abate and/or minimize fugitive emissions of odors and/or particulate matter at sources or source areas.

Section #	Description of Housekeeping Measure	Purpose of Activity	Schedule of Activity

402.2 Metal Management

B. Desc	B. Description of Operations - METAL MANAGEMENT								
Section #	Name of Non-Exempt Metal or Metal Alloy Used for Production	Metal Type	Method of Verification for Determining Chemical Composition						
1	Carbon Steel	⊠ Ferrous □ Non-Ferrous	Each coil is an ASTM verified grade that has specific chemical composition requirements. It then has an individual barcode that specifies the verified grade						
		Ferrous     Non-Ferrous							
		Ferrous     Non-Ferrous							
		Ferrous     Non-Ferrous							
		Ferrous     Non-Ferrous							
		Ferrous     Non-Ferrous							
		Ferrous     Non-Ferrous							
		Ferrous     Non-Ferrous							
		Ferrous     Non-Ferrous							
		Ferrous     Non-Ferrous							

#### **B. Description of Operations - METAL MANAGEMENT**

Describe the facility's metal inspection program, work practice standards and material acquisition plan/procedures upon receipt of scrap or unprocessed metal. Include any pollution prevention management practices and source reduction measures to ensure the metal received is clean.

All coils are brought in by rail or ship and stored in the coil staging area by the dock. Each coil is an ASTM verified grade that has specific chemical composition requirements. They are not segragated, but are identifiable by barcodes. Each coil is equipped with an individula barcode that will follow the coil throughout the entire production process. The barcode identifies the coil including the initial ASTM grade, what process it has been ran through at what time and to what specifications, and what the final product intended is.

#### C. Management Practices to Reduce Fugitive Emissions – METAL MANAGEMENT

Describe control measures to minimize fugitive emissions from scrap or unprocessed metal.

Because the steel is in large coils, the only fugitive emissions from the coil are from the iron oxide that forms on the outside of the coil before it is processed. These emissions are captured by a baghouse (A26) at the beginning of the processing line at the Pickling Line Tandem Cold Mill (PLTCM). Any other coatings added to the coils are removed at the beginning of each process line in the cleaning section. All scrap is in large pieces with no fugitive emissions. It is stored in bins and shipped out by truck and rail.

# **402.3 Furnace Operations**

B. De	escription of Operations - FURN	NACE OPERATIONS						
Section #	Furnace Name and Manufacturer/ Model #	District S# and Applicable NESHAPs Section	Type of Operation	Source Abated	Type of Abatement Device	District A#	Purpose of Abatement	Abatement
			<ul><li>Melting</li><li>Heat Treating</li></ul>	□ Yes □ No				
			<ul><li>Melting</li><li>Heat Treating</li></ul>	□ Yes □ No				
			<ul><li>Melting</li><li>Heat Treating</li></ul>	□ Yes □ No				
			<ul><li>Melting</li><li>Heat Treating</li></ul>	□ Yes □ No				
			<ul><li>Melting</li><li>Heat Treating</li></ul>	□ Yes □ No				
			<ul><li>Melting</li><li>Heat Treating</li></ul>	□ Yes □ No				
			<ul><li>Melting</li><li>Heat Treating</li></ul>	□ Yes □ No				
			<ul><li>Melting</li><li>Heat Treating</li></ul>	□ Yes □ No				
			<ul><li>Melting</li><li>Heat Treating</li></ul>	□ Yes □ No				
			<ul><li>Melting</li><li>Heat Treating</li></ul>	□ Yes □ No				
			<ul><li>Melting</li><li>Heat Treating</li></ul>	□ Yes □ No				
			<ul><li>Melting</li><li>Heat Treating</li></ul>	□ Yes □ No				

Abatement Monitored	Monitoring Parameters
Yes No	

#### C. Management Practices to Reduce Fugitive Emissions - FURNACE OPERATIONS

Provide description of preventative maintenance (PM) activities including PM schedules and work practice standards for each abatement device for furnace operations.

Section #	Abatement Device and Manufacturer/Model #	Description of Preventative Maintenance Activity and Work Practice Standards	Schedule of PM

### C. Management Practices to Reduce Fugitive Emissions - FURNACE OPERATIONS

Provide description of other housekeeping measures to abate and/or minimize fugitive emissions of odors and/or particulate matter at sources or source areas.

Section #	Description of Housekeeping Measure	Purpose of Activity	Schedule of Activity

**402.4 Forging Operations** 

B. De	B. Description of Operations - FORGING OPERATIONS							
Section #	Equipment Name and Manufacturer/ Model #	District S# and Applicable NESHAPs Section	Description of Use	Name of Lubricants and/or Oils	Other Materials Used	Source Abated	Type of Abatement Device	Purpose of Abateme
1	Continuous Annealing Line ; custom	43	Annealing	n/a	n/a	□ Yes ⊠ No		
2	#2 Continuous Galvanizing Line; custom	70	Annealing	n/a	n/a	□ Yes ⊠ No		
3	Kawasaki Multipurpose Continuous Annealing Line; Custom	174	Annealing	n/a	n/a	⊠ Yes □ No	Selective Catalytic Reduction (SCR)	NOx reduction
						□ Yes □ No		
						□ Yes □ No		
						□ Yes □ No		

ent	Abatement Monitored	Monitoring Parameters
	□ Yes □ No	
	□ Yes □ No	
	⊠ Yes □ No	<ul> <li>a. Not exceed 10 ppmv at 3% oxygen, averaged over 3 consecutive hours;</li> <li>b. Be reduced by at least a 90%, by weight, averaged over 3 consecutive hours, by the SCR Unit;</li> <li>c. For a period when UPI is running at a heat input less than 50 kscf/hr, NOx shall be reduced by at least 82%, by weight, averaged over three consecutive hours, by the SCR Unit. If the duration of the low heat input run is less than three hours, the averaging period shall be the entire run period.</li> <li>d. For a period when UPI is running a heat input level less than 50 kscf/hr, NOx shall not exceed 18 ppmv at 3% oxygen averaged over 3 consecutive hours. If the duration of the low heat input run is less than three hours, the averaging period shall be the entire run.</li> </ul>
	□ Yes □ No	
	□ Yes □ No	
	□ Yes □ No	

			□ Yes □ No	
			□ Yes □ No	
			□ Yes □ No	
			□ Yes □ No	
			□ Yes □ No	

□ Yes □ No	
□ Yes □ No	

## C. Management Practices to Reduce Fugitive Emissions - FORGING OPERATIONS

Provide description of preventative maintenance (PM) activities including PM schedules and work practice standards for each abatement device for forging operations.

Section #	Abatement Device and Manufacturer/Model #	Description of Preventative Maintenance Activity and Work Practice Standards	Schedule of PM
1		-Calibration cross checks	-Daily
	A32 Selective Catalytic Reduction	-Replacement of DeNOx sample pump diaphragms	-On demand
	Unit (SCR)	-Replacement of DeNOx chamber pump diaphragms	-On demand
		-Replacement of oxygen analyzer fuel cell	-Every 6 month

## C. Management Practices to Reduce Fugitive Emissions - FORGING OPERATIONS

Provide description of other housekeeping measures to abate and/or minimize fugitive emissions of odors and/or particulate matter at sources or source areas.

Section #	Description of Housekeeping Measure	Purpose of Activity	Schedule of Activity
1	Checking gas consumptions	The hydrogen-nitrogen gas (HN) usage and Natural Gas flow are moniored daily to ensure there isn't an abnormal amount of gases being used. If there was a leak or fugitive emissions, the gas consumption would increase	Daily
2	Set Combustion	Combuston is set annually to ensure the appropriate ratio of air to fuel intake. With proper combustion, the production of carbon monoxide, smoke, and NOx are minimized.	Annually
3	Regular Maintenance a. Check conditions of the heat section b. Performs furnace walk- through c. Performs furnace inspection d. Perform HN (radiant tube) leak test	All burners and furnace equipment are maintained regularly to ensure they are in optimal operating conditions with no damage or leaks	a: Every start-up b. Every shift (3 times per day) c. Quarterly d. Every 6 months

402.5 Casting and Cooling Operations

B. De	B. Description of Operations - CASTING AND COOLING OPERATIONS							
Section #	Name of Pouring and Cooling Operations and Manufacturer/ Model #	District S# and Applicable NESHAPs Section	Cooling Time of Product or Source	Designated Locations of Cooling Operation	Source Abated	Type of Abatement Device	Purpose of Abatement	
					□ Yes □ No			
					□ Yes □ No			
					□ Yes □ No			
					□ Yes □ No			
					□ Yes □ No			

Abatement Monitored	Monitoring Parameters
□ Yes □ No	

#### C. Management Practices to Reduce Fugitive Emissions - CASTING AND COOLING OPERATIONS

Describe the method to verify adequate cooling times are achieved to ensure minimization of fugitive emissions of particulates and odors prior to commencing shake out operations.

## C. Management Practices to Reduce Fugitive Emissions - CASTING AND COOLING OPERATIONS

Provide description of preventative maintenance (PM) activities including PM schedules and work practice standards for each abatement device for casting and cooling operations.

Section #	Abatement Device and Manufacturer/Model #	Description of Preventative Maintenance Activity and Work Practice Standards	Schedule of PM

#### C. Management Practices to Reduce Fugitive Emissions - CASTING AND COOLING OPERATIONS

Provide description of other housekeeping measures to abate and/or minimize fugitive emissions of odors and/or particulate matter at sources or source areas.

Section #	Description of Housekeeping Measure	Purpose of Activity	Schedule of Activity

# 402.6 Shake Out Operations

B. D	B. Description of Operations - SHAKE OUT OPERATIONS								
Section #	Name of Shakeout Operations and Manufacturer/ Model #	District S# and Applicable NESHAPs Section	Describe Location of Shake Out Operation	Source Abated	A#	Type of Abatement Device	Purpose of Abatement	Abatement Monitored	Monitoring Parameters
				□ Yes □ No				□ Yes □ No	
				□ Yes □ No				□ Yes □ No	
				□ Yes □ No				□ Yes □ No	
				□ Yes □ No				□ Yes □ No	
				□ Yes □ No				□ Yes □ No	

### C. Management Practices to Reduce Fugitive Emissions - SHAKE OUT OPERATIONS

Provide description of preventative maintenance (PM) activities including PM schedules and work practice standards for each abatement device for shake out operations.

Section #	Abatement Device and Manufacturer/Model #	Description of Preventative Maintenance Activity and Work Practice Standards	Schedule of PM

### C. Management Practices to Reduce Fugitive Emissions - SHAKE OUT OPERATIONS

Provide description of other housekeeping measures to abate and/or minimize fugitive emissions of odors and/or particulate matter at sources or source areas.

Section #	Description of Housekeeping Measure	Purpose of Activity	Schedule of Activity

### **402.7 Finishing Operations**

B. De	escription of Operation	s - FINISHING OPERATIONS	Γ				1	1
Section #	Type of Operation	District S# and Applicable NESHAPs Section	Describe Location of Finishing Operation	Number of Machines	Abated Source	A#	Type of Abatement Device	Purpose of A
	<ul><li>Grinding</li><li>Welding</li><li>Other:</li></ul>			GRINDERS: WELDERS: OTHER:	□ Yes □ No			
	<ul><li>Grinding</li><li>Welding</li><li>Other:</li></ul>			GRINDERS: WELDERS: OTHER:	□ Yes □ No			
	<ul> <li>Grinding</li> <li>Welding</li> <li>Other:</li> </ul>			GRINDERS: WELDERS: OTHER:	□ Yes □ No			
	<ul> <li>Grinding</li> <li>Welding</li> <li>Other:</li> </ul>			GRINDERS: WELDERS: OTHER:	□ Yes □ No			
	<ul> <li>Grinding</li> <li>Welding</li> <li>Other:</li> </ul>			GRINDERS: WELDERS: OTHER:	□ Yes □ No			
	<ul><li>Grinding</li><li>Welding</li><li>Other:</li></ul>			GRINDERS: WELDERS: OTHER:	□ Yes □ No			
	<ul><li>Grinding</li><li>Welding</li><li>Other:</li></ul>			GRINDERS: WELDERS: OTHER:	□ Yes □ No			
	<ul><li>Grinding</li><li>Welding</li><li>Other:</li></ul>			GRINDERS: WELDERS: OTHER:	□ Yes □ No			

Abatement	Abatement Monitored	Monitoring Parameters
	□ Yes □ No	

#### C. Management Practices to Reduce Fugitive Emissions - FINISHING OPERATIONS

Provide description of preventative maintenance (PM) activities including PM schedules and work practice standards for each abatement device for finishing operations.

Section #	Abatement Device and Manufacturer/Model #	Description of Preventative Maintenance Activity and Work Practice Standards	Schedule of PM

#### C. Management Practices to Reduce Fugitive Emissions - FINISHING OPERATIONS

Provide description of other housekeeping measures to abate and/or minimize fugitive emissions of odors and/or particulate matter at sources or source areas.

Section #	Description of Housekeeping Measure	Purpose of Activity	Schedule of Activity

### 402.7 Sand Reclamation

B. C	Description of Operations - SAND	RECLAMATION					
Section #	Name of Sand Reclamation Equipment and Manufacturer/Model #	District S# and Applicable NESHAPs Section	Describe Type of Sand Reclamation Equipment	Abated Source	А#	Type of Abatement Device	Purpose of Abatement
				□ Yes □ No			
				□ Yes □ No			
				□ Yes □ No			
				□ Yes □ No			
				□ Yes □ No			
				□ Yes □ No			
				□ Yes □ No			
				□ Yes □ No			
				□ Yes □ No			
				□ Yes □ No			

ment	Abatement Monitored	Monitoring Parameters
	□ Yes □ No	

### C. Management Practices to Reduce Fugitive Emissions - SAND RECLAMATION

Provide description of preventative maintenance (PM) activities including PM schedules and work practice standards for each abatement device for sand reclamation operations.

Section #	Abatement Device and Manufacturer/Model #	Description of Preventative Maintenance Activity and Work Practice Standards	Schedule of PM

### C. Management Practices to Reduce Fugitive Emissions - SAND RECLAMATION

Provide description of other housekeeping measures to abate and/or minimize fugitive emissions of odors and/or particulate matter at sources or source areas.

Section #	Description of Housekeeping Measure	Purpose of Activity	Schedule of Activity

402.9 Dross and Slag Management

B. De	B. Description of Operations - DROSS AND SLAG MANAGEMENT							
Section #	Material	Describe Location for Cooling of Material	Abated Source	А#	Type of Abatement Device	Purpose of Abatement	Abatement Monitored	М
1	Dross		□ Yes □ No				□ Yes □ No	
2	Slag		□ Yes □ No				□ Yes □ No	

Monitoring Parameters	Material Disposition
	<ul> <li>Offsite Recycling</li> <li>Offsite Disposal</li> <li>Onsite Reprocessing</li> </ul>
	<ul> <li>Offsite Recycling</li> <li>Offsite Disposal</li> <li>Onsite Reprocessing</li> </ul>

### C. Management Practices to Reduce Fugitive Emissions - DROSS AND SLAG MANAGEMENT

Provide description of preventative maintenance (PM) activities including PM schedules and work practice standards for each abatement device for dross and slag operations.

* Abatement Device output and Manufacturer/ Model #		Description of Preventative Maintenance Activity and Work Practice Standards	Schedule of PM

### C. Management Practices to Reduce Fugitive Emissions - DROSS AND SLAG MANAGEMENT

Provide description of other housekeeping measures to abate and/or minimize fugitive emissions of odors and/or particulate matter at sources or source areas.

Section #	Description of Housekeeping Measure	Purpose of Activity	Schedule of Activity

#### D. Description of Abatement and Control Equipment

Provide a comprehensive list of all abatement and control equipment for operations subject to 12-13-402 and identify the source(s) of operation in which it abates. If the abatement equipment abates multiple sources, provide a detailed description of how the abatement is designated to those sources.

Section #	* O S Name of Abatement Equipment		Names of Source(s) Abated	District S#	
1	Selective Catalytic Reduction Unit (SCR)	32	Kawasaki Multipurpose Continuous Annealing Line; Custom	174	NOx Catalytic Reduction U
2	Pickling Line Baghouse	26	Pickling Line Coil Processor, Butt Welder, and Stretch Leveler	166,167 and 168	Captures particulates

Description of Abatement
on Unit

A. Process Flow Diagram – Facilities must indicate all operations in Section 12-13-402, the flow of materials used and identify all monitoring of processes, abatement and controls to minimize emissions beginning from material receipt to achievement of final product. Identify all abatement and control devices by District source numbers according to District Permit or as exempt from District Permit. Label the attachment with the corresponding Attachment #.

#### Attachment # B

B. Facility Layout / Floor Plan - Facilities must indicate all relative locations of processing equipment and monitoring and controls, all permitted and exempt sources identified in the process flow diagram per Section 12-13-403.1.1 and any other source(s) that may contribute to particulates and odors. Include all building walls, partitions, doors, windows, vents and openings and indicate all areas that have abatement for particulates and odors. Identify all metal melting and processing equipment by District source numbers according to District Permit or as exempt from District Permit. Label the attachment with the corresponding Attachment #.

#### Attachment # C

## Five-Year Review of the EMP: Schedule for Implementation of the EMP Elements and Fugitive Emissions Reductions 12-13-410

- A. Provide a list of existing or current EMP elements in place during the 5-year review period (March 1, 2016 February 28, 2021). Include a list of equipment, processes and procedures installed or implemented to reduce fugitive emissions and indicate the permit status if applicable. Specify the purpose for implementation and detail any employee training that was conducted. Any associated training materials shall be made available for Air District review upon request.
- *B.* Provide a list of new or future EMP elements to be implemented following APCO approval of the EMP. Include a description, the purpose and schedule of the element(s) to be implemented.

Section #	Identify Type of Operation per Section 12-13-402	Operation Implemented Between March 1, 2016 and February	Permit Status		Implementation Date	Purpose of Implem
			□ A/C □ P/O □ N/A	Application # (if applicable):		
			□ A/C □ P/O □ N/A	Application # (if applicable):		
			□ A/C □ P/O □ N/A	Application # (if applicable):		
			□ A/C □ P/O □ N/A	Application # (if applicable):		
			□ A/C □ P/O □ N/A	Application # (if applicable):		
			□ A/C □ P/O □ N/A	Application # (if applicable):		
			□ A/C □ P/O □ N/A	Application # (if applicable):		
			□ A/C □ P/O □ N/A	Application # (if applicable):		
			□ A/C □ P/O □ N/A	Application # (if applicable):		

016 – FEBRUARY 28, 2021)					
plementation	Description of Employee Training				

B. 1	B. 12-13-410 NEW OR FUTURE EMP ELEMENTS TO BE IMPLEMENTED							
Section #	Identify Type of Operation per Section 12-13-402	List Specific Elements to be Implemented Following APCO Approval of the Updated EMP	Projected Implementation Date	Description of Elements to be Implemented				

ted	Purpose of Implementation

### Appendix

Insert any attachments and supplemental information within the corresponding sections of the EMP or at the end of this document. Label each attachment with the corresponding Attachment #.


In the table below, list each Attachment # and provide the Page # and Section # (if applicable) of the EMP where the material is referenced.

Attachment #	Reference to Page # and Section # of EMP
A	Page #7, Section #
В	Page #52, Section #
С	Page #52, Section #
	Page # , Section #
	Page # , Section #
	Page # , Section #
	Page # , Section #
	Page # , Section #
	Page # , Section #
	Page # , Section #
	Page # , Section #
	Page # , Section #

## Attachment # A

Company Organizational Chart

# **Executive Steering Team**




UPI

A United States Steel Company




## **Operations**






## **Environmental**






## **Operations - Safety**



## Attachment # B

Process Flow Diagram





Warehouses

## Attachment # C

Facility Layout

USS	<b>UPI</b> A United States Steel Company	DRAWN BY	CHECKED BY	SCALE	Plant General - Enviro
		MANAGER TECHNOLOGY		DATE 4/22/2021	BAAQMD Emissions Map 20





REVISIONS

# KMCAL Annealing Furnace

No. 2 Continuous Coating Line (2CC) Annealing Furnace S #70