SCS ENGINEERS

25

August 31, 2022 File No. 01204082.01, Task 30

Mr. Jeffrey Gove Director of Compliance and Enforcement Bay Area Air Quality Management District 375 Beale Street, Suite 600 San Francisco, California 94105 TV Tracking #: 564 1. D RECEIVED IN 08/31/2022 ENFORCEMENT:

Subject: Title V Annual Compliance Certification Report; Title V Semi-Annual Report of Required Monitoring; BAAQMD Rule 8-34 Semi-Annual Report, NESHAP and Semi-Annual SSM Plan Report; Potrero Hills Landfill, Suisun, California (Plant No. A2039)

Mr. Gove:

On behalf of Potrero Hills Landfill Inc. (Potrero), SCS Engineers (SCS) is submitting the Title V Annual Compliance Certification Report; Title V Semi-Annual Report of Required Monitoring; Bay Area Air Quality Management District (BAAQMD), Regulation 8, Rule 34 Semi-Annual Report; Semi-Annual Startup, Shutdown and Malfunction (SSM) Plan Report, and the National Emission Standards for Hazardous Air Pollutants (NESHAP) for the Potrero Hills Landfill in Suisun, California (Plant # A2039) to the Bay Area Air Quality Management District (BAAQMD).

The Title V Annual Compliance Certification Report covers the period from August 1, 2021 through July 31, 2022. The Title V Semi-Annual Report of Required Monitoring, the BAAQMD Rule 8-34 Semi-Annual Report, NESHAP and the SSM Plan Report cover the period from February 1, 2022 through July 31, 2022.

The Title V reports meet the requirements specified in the Title V permit, BAAQMD guidance on Title V report submittals, and Regulation 2, Rule 6. Each Title V report also includes a certification by the responsible official for the Potrero Hills Landfill, Inc. The Rule 8-34 report includes the information required by BAAQMD Rule 8-34-411. This report also satisfies the reporting requirement under the revised NESHAP rule. The semi-annual report also satisfies the requirements under the New Source Performance Standards (NSPS) for municipal solid waste landfills (40 California Code of Regulation [CFR] Part 60, Subpart WWW and 40 CFR Part 62, Subpart 000 (through compliance with the NESHAP) which became effective on July 21, 2021), and Emission Guidelines (EG), including 40 CFR 60.757(f). The Semi-Annual SSM Plan Report satisfies the requirements under the NESHAP rule for semi-annual reporting of SSM Plan implementation including 40 CFR 63.10(d)(5)(i). This report includes a certification by the responsible official for Potrero Hills Landfill, Inc.

If you have any questions or need any additional information, please contact the undersigned at (562) 426-9544.

Mr. Jeffrey Gove Director of Compliance and Enforcement August 31, 2022 Page 2

Sincerely,

Val 3

Hannah Morse Technical Associate SCS ENGINEERS

Habrielle & Stephens

Gabrielle Stephens Senior Project Manager SCS ENGINEERS

Enclosures:

Title V Semi-Annual Monitoring Report (with Certification Statement) BAAQMD Rule 8-34 and NESHAP Semi-Annual Report Semi-Annual SSM Plan Report (with Certification Statement)

cc: USEPA Region 9 Dave Jappert; Waste Connections Natalie Hicks; Waste Connections Kevin Iler, Waste Connections Curt Fujii; Waste Connections Pat Sullivan; SCS Engineers Art Jones, SCS Field Services

TITLE V SEMI-ANNUAL MONITORING REPORT

SITE:			FACILITY ID#:	
POTRERO HIL			A2039	
REPORTING PERIOD:	from	through)	
	02/01/2022		07/31/2022	

CERTIFICATION:

I declare, under penalty of perjury under the laws of the state of California, that, based on information and belief formed after reasonable inquiry, all information provided in this reporting package is true, accurate, and addresses all deviations during the reporting period:

Signature of Responsible Officia

8/31/22

Date

Dave Jappert Name of Responsible Official (please print)

District Manager Title of Responsible Official (please print)

Mail to:

Director of Compliance and Enforcement BAAQMD 375 Beale Street, Suite 600 San Francisco, CA 94105 Attn: Title V reports

TITLE V SEMI-ANNUAL MONITORING REPORT

SITE:			FACILITY ID#:	
POTRERO HIL		A2039		
REPORTING PERIOD:	from	through	ו	
	02/01/2022		07/31/2022	

List of Permitted Sources and Abatement Device

Permit Unit Number	Equipment Description			
S-#	Description			
S-1	Potrero Hills MSW Landfill – Waste Decomposition Process; Equipped with Landfill Gas Collection System			
S-202 Potrero Hills MSW Landfill – Waste and Cover Material Dumping				
S-203	Potrero Hills MSW Landfill – Excavating, Bulldozing and Compacting			
0 200	Activities			
S-13	Diesel IC Engine for Power Generation			
S-14	Non-retail Gasoline Dispensing Facility			
A-2	Landfill Gas Flare			
A-4	Landfill Gas Flare			

Notes:

S-13 (Diesel generator engine): No longer in service; and has not operated since prior to the start of the reporting period.

S-1, S-202, S-203, A-2, - Change of Condition (for Condition # 1948) issued in February 2014. These changes in the annual cumulative decomposable tonnage limits have not yet been incorporated into the Title V Permit.

S-33 (Emergency Diesel Engine-Generator) is currently operating under a Permit to Operate (PTO) issued on November 6, 2018, which has not yet been incorporated into the Title V Permit. All permit conditions have been reviewed for monitoring requirements and the site is in compliance.

S-36 (Emergency Diesel Engine-Generator) is currently operating under a PTO issued on November 6, 2018, which has not yet been incorporated into the Title V Permit. All permit conditions have been reviewed for monitoring requirements and the site complied with all permit conditions during the reporting period.

S-15, S-20, S-21, S-23, (Miscellaneous sources including stockpiles, composting, quarrying, and diesel engine): These sources are currently operating under PTOs issued in July 2015, which have not yet been incorporated into the Title V Permit. All permit conditions have been reviewed for monitoring requirements and the site is in compliance.

S-35, S-37, S-38, and S-39 (Tipper Engines): Tipper engines S-35 and S-37 were both operating under a PTO issued in February 2016, which had not yet been incorporated into the Title V Permit. On December 19, 2019, an Authority to Construct (ATC) for a replacement engine (S-38) for S-35 was issued. S-35 was permanently decommissioned on February 15, 2020, which was the same day S-38 commenced operation. The PTO for S-37 and S-38 was issued on March 4, 2020. In addition, on June 10, 2020 an ATC for a replacement engine (S-39) for S-37 was issued. S-37 was permanently decommissioned on August 8, 2020, and the new S-39 engine commenced operation on August 11, 2020. A PTO for S-39 was issued on August 20, 2020. All permit conditions for these tipper engines have been reviewed for monitoring requirements and the site is in compliance.

Site: Potr	ero Hills Landfill	Facility ID#:	A2039	9
	S-1 POTRERO HILLS LANDFILL, A-2 LANDFILL GAS FILL GAS FLARE; S-202 WASTE AND COVER MATERIAL CAVATING, BULLDOZING, AND COMPACTING ACTIVITIES	Reporting Period:	from	02/01/2022 through 07/31/2022

Type of Limit or Criteria	Monitoring Requirement Citation	Monitoring Type	Monitoring Frequency	Citation of Limit	Limit	Compliance	Corrective Actions Taken
Collection	BAAQMD	Records	Periodic / On event	BAAQMD 8-34-304.1	For Inactive/Closed	Continuous	N/A
System Installation Dates	8-34-501.7 and 501.8 and BAAQMD Condition # 1948, Parts 13b-c and 13f- g		basis		Areas: collection system components must be installed and operating by 2 years + 60 days after initial waste		
Collection System Installation Dates	BAAQMD 8-34-501.7 and 501.8 and BAAQMD Condition # 1948, Parts 13b-c and 13f- g	Records	Periodic / On event basis	BAAQMD 8-34-304.2	placement For Active Areas: Collection system components must be installed and operating by 5 years + 60 days after initial waste placement	Continuous	N/A

Site:	Potrero	Hills Landfill	Facility ID#:	A203	9
	LANDFILL	S-1 Potrero Hills Landfill, A-2 landfill gas gas flare; S-202 Waste and Cover Material ating, Bulldozing, and Compacting Activities	Reporting Period:	from	02/01/2022 through 07/31/2022

Type of Limit or Criteria	Monitoring Requirement Citation	Monitoring Type	Monitoring Frequency	Citation of Limit	Limit	Compliance	Corrective Actions Taken
Collection System Installation Dates	BAAQMD 8-34-501.7 and 501.8 and BAAQMD Condition # 1948, Parts 13a-c and 13f- g	Records	Periodic / On event basis	BAAQMD 8-34-304.3	For Any Uncontrolled Areas or Cells: collection system components must be installed and operating within 60 days after the uncontrolled area or cell accumulates 1,000,000 tons of decomposable waste	Continuous	N/A
Gas Flow	BAAQMD 8-34-501.10, and 508, and Condition 1948, Part 13h	Gas Flow Meter and Recorder (every 15 minutes)	Continuous	BAAQMD 8-34-301 and 301.1	•		N/A

Site: Potrero Hills Landfill	Facility ID#: A2039	
Permitted Unit: S-1 Potrero Hills Landfill, A-2 L FLARE AND A-4 LANDFILL GAS FLARE; S-202 WASTE AND COVER DUMPING; S-203 EXCAVATING, BULLDOZING, AND COMPACTING	TERIAL	

Type of Limit or Criteria	Monitoring Requirement Citation	Monitoring Type	Monitoring Frequency	Citation of Limit	Limit	Compliance	Corrective Actions Taken
Gas Flow	BAAQMD Condition # 1948, Parts 13 f-h	Records of Landfill Gas Flow Rates, Collection and Control Systems Downtime, and Collection System Components	Periodic / Daily	BAAQMD Condition # 1948, Parts 5 and 6	Landfill gas collection system shall operate continuously and all collected gases shall be vented to a properly operating control system	Continuous	N/A
Collection and Control Systems Shutdown Time	BAAQMD 8-34-501.1	Operating Records	Periodic / Daily	BAAQMD 8-34-113.2	\leq 240 hours per year and \leq 5 consecutive days	Continuous	N/A
Periods of Inoperation for Parametric Monitors	BAAQMD 1-523.4	Operating Records for All Parametric Monitors	Periodic / Daily	BAAQMD 1-523.2	\leq 15 consecutive days per incident and \leq 30 calendar days per 12-month period	Continuous	N/A

Site: Potr	ero Hills Landfill	Facility ID#:	A2039	9
	S-1 POTRERO HILLS LANDFILL, A-2 LANDFILL GAS FILL GAS FLARE; S-202 WASTE AND COVER MATERIAL CAVATING, BULLDOZING, AND COMPACTING ACTIVITIES	Reporting Period:	from	02/01/2022 through 07/31/2022

Type of Limit or Criteria	Monitoring Requirement Citation	Monitoring Type	Monitoring Frequency	Citation of Limit	Limit	Compliance	Corrective Actions Taken
Continuous Monitors	40 CFR 60.7(b)	Operating Records for All	Periodic / Daily	40 CFR 60.13(e)	Requires Continuous Operation except for breakdowns, repairs,	Continuous	N/A
		Continuous Monitors			calibration, and required span adjustments		
Wellhead Pressure	BAAQMD 8-34-414, 501.9 and 505.1	Monthly Inspection and Records	Periodic / Monthly	BAAQMD 8-34-305.1	< 0 psig	Continuous	N/A
Temperature of Gas at Wellhead	BAAQMD 8-34-414, 501.9 and 505.2	Monthly Inspection and Records	Periodic / Monthly	BAAQMD 8-34-305.2	Applies to all wells, except as specified in Condition #1948, Part 21: < 55 ° C	Continuous	N/A
Gas Concentrations at Wellhead	BAAQMD 8-34-414, 501.9 and 505.3 or 505.4	Monthly Inspection and Records	Periodic / Monthly	BAAQMD 8-34-305.3 or 305.4	Applies to all wells, except as specified in Condition #1948, Part 21: N ₂ < 20% by volume OR O ₂ < 5% by volume	Continuous	N/A

Site: Potr	ero Hills Landfill	Facility ID#:	A2039	9
	S-1 POTRERO HILLS LANDFILL, A-2 LANDFILL GAS FILL GAS FLARE; S-202 WASTE AND COVER MATERIAL CAVATING, BULLDOZING, AND COMPACTING ACTIVITIES	Reporting Period:	from	02/01/2022 through 07/31/2022

Type of Limit or Criteria	Monitoring Requirement Citation	Monitoring Type	Monitoring Frequency	Citation of Limit	Limit	Compliance	Corrective Actions Taken
Alternate Operating Parameters for Specified Wellheads	BAAQMD Condition #1948, Part 21b	Monthly Inspection and Records	Periodic / Monthly/Weekly	BAAQMD Condition #1948, Part 21a	Applies to Specified Wells: Gas temperature: < 145 °F (< 63 °C) AND N ₂ < 10% by volume	Continuous	N/A
					OR O2 < 5% by volume		
Carbon Monoxide for Specified Wells Subject to Alternate Wellhead Operating Parameters	BAAQMD Condition #1948, Part 21d	Monthly Inspection and Records	Periodic / Monthly/Weekly	BAAQMD Condition #1948, Part 21d	Applies to Specified Wells: < 200 ppmv, no action; > 200 ppmv but ≤ 500 ppmv, weekly monitoring; > 500 ppmv – well must be shutdown and further CO analysis performed within 1 week.	Continuous	N/A
Well Shutdown Limits for Well Raising	BAAQMD 8-34-116.5 and 501.1	Records	Periodic / Daily	BAAQMD 8-34-116.2	No more than 5 wells at a time or 10% of total collection system, whichever is less	Continuous	N/A

Site:	Potrero	Hills Landfill	Facility ID#:	A203	9
	LANDFILL	S-1 POTRERO HILLS LANDFILL, A-2 LANDFILL GAS GAS FLARE; S-202 WASTE AND COVER MATERIAL ATING, BULLDOZING, AND COMPACTING ACTIVITIES	Reporting Period:	from	02/01/2022 through 07/31/2022

Type of Limit or Criteria	Monitoring Requirement Citation	Monitoring Type	Monitoring Frequency	Citation of Limit	Limit	Compliance	Corrective Actions Taken
Well Shutdown Limits for Well Raising	BAAQMD 8-34-116.5 and 501.1	Records	Periodic / Daily	BAAQMD 8-34-116.3	≤ 24 consecutive hours per well	Continuous	N/A
Well Shutdown Limits Repair, Construction, Fire	BAAQMD 8-34-117.6 and 501.1	Records	Periodic / Daily	BAAQMD 8-34-117.4	No more than 5 wells at a time or 10% of total collection system, whichever is less	Continuous	N/A
Well Shutdown Limits Repair, Construction, Fire	BAAQMD 8-34-117.6 and 501.1	Records	Periodic / Daily	BAAQMD 8-34-117.5	≤24 consecutive hours per well	Continuous	N/A
Landfill Construction Activity Limits	BAAQMD 8-34-118.9 and 501.1	Records	Periodic / Daily	BAAQMD 8-34-118.5	Excavated refuse covered immediately and disposed of ≤24 hours	Continuous	N/A
Landfill Construction Activity Limits	BAAQMD 8-34-118.9 and 501.1	Records	Periodic / Daily	BAAQMD 8-34-118.6	Drilled wells and excavated trenches covered ≤ 8 hours	Continuous	N/A

Site: Potr	ero Hills Landfill	Facility ID#:	A2039	9
	S-1 POTRERO HILLS LANDFILL, A-2 LANDFILL GAS FILL GAS FLARE; S-202 WASTE AND COVER MATERIAL CAVATING, BULLDOZING, AND COMPACTING ACTIVITIES	Reporting Period:	from	02/01/2022 through 07/31/2022

Type of Limit or Criteria	Monitoring Requirement Citation	Monitoring Type	Monitoring Frequency	Citation of Limit	Limit	Compliance	Corrective Actions Taken
TOC (Total Organic Com- pounds Plus Methane)	BAAQMD 8-34-501.6 and 503	Quarterly Inspection of collection and control system components with OVA and Records	Periodic / Quarterly	BAAQMD 8-34-301.2	Component leak limit: ≤1000 ppmv as methane	Continuous	N/A
TOC	BAAQMD 8-34-415, 416, 501.6, 506 and 510	Monthly Visual Inspection of Cover, Quarterly Inspection with OVA of Surface, Various Reinspection Times for Leaking Areas, and Records	Periodic /Monthly, Quarterly, and On an event basis	BAAQMD 8-34-303	Surface Leak Limit: ≤500 ppmv as methane at 2 inches above surface	Continuous	N/A

Site: P	Potrero	Hills Landfill	Facility ID#:	A203	9
	LANDFILL	S-1 POTRERO HILLS LANDFILL, A-2 LANDFILL GAS GAS FLARE; S-202 WASTE AND COVER MATERIAL ATING, BULLDOZING, AND COMPACTING ACTIVITIES	Reporting Period:	from	02/01/2022 through 07/31/2022

Type of Limit or Criteria	Monitoring Requirement Citation	Monitoring Type	Monitoring Frequency	Citation of Limit	Limit	Compliance	Corrective Actions Taken
Non-Methane	BAAQMD	Initial and	Periodic / Annual	BAAQMD 8-34-301.3	<u>></u> 98% removal by	Continuous	N/A
Organic	8-34-412 and 8-34-	Annual			weight		
Compounds	501.4 and BAAQMD	Source			OR		
(NMOC)	Condition # 1948,	Tests and			< 30 ppmv,		
	Part 11	Records			dry basis @ 3% O ₂ ,		
					expressed as		
					methane		
					(applies to A-2 and A-		
					4 Flares only)		
Temperature of	BAAQMD	Temperature	Continuous	BAAQMD Condition #	CT <u>></u> 1504 °F,	Continuous	N/A
Combustion	8-34-501.3, and 507,	Sensor and		1948, Part 9	averaged over any 3-		
Zone (CT)	and BAAQMD	Recorder			hour period		
	Condition # 1948,	(continuous)			(applies to A-2 Flare		
	Part 13i				only)		
Temperature of	BAAQMD	Temperature	Continuous	BAAQMD Condition#	CT ≥1467 °F,	Continuous	N/A
Combustion	8-34-501.3 and 507,	Sensor and		1948, Part 9	averaged over any 3-		
Zone (CT)	and BAAQMD	Recorder			hour period		
	Condition # 1948,	(continuous)			(applies to A-4 Flare		
	Part 13i				only)		

Site:	Potrero	Hills Landfill	Facility ID#:	A203	9
	LANDFILL	S-1 Potrero Hills Landfill, A-2 landfill gas gas flare; S-202 Waste and Cover Material ating, Bulldozing, and Compacting Activities	Reporting Period:	from	02/01/2022 through 07/31/2022

Type of Limit or Criteria	Monitoring Requirement Citation	Monitoring Type	Monitoring Frequency	Citation of Limit	Limit	Compliance	Corrective Actions Taken
Total Carbon	BAAQMD Condition # 1948, Part 3	Records	Periodic / On Daily	BAAQMD 8-2-301	\leq 15 pounds/day or \leq 300 ppm, dry basis (applies only to aeration of or use as cover soil of \leq 50 ppmw of volatile organic compounds)	Continuous	N/A
Volatile Organic Compounds	BAAQMD Condition # 1948, Parts 2 and 13d	Records	Periodic / On event basis	BAAQMD Condition # 1948, Part 2	Facility shall not accept soil containing more than 50 ppmw of VOC	Continuous	N/A
Opacity	BAAQMD Condition # 1948 Part 13e	Records of all site watering and road cleaning events	Periodic / On event basis, Monthly	BAAQMD 6-1-301	Ringelmann No. 1 for ≤ 3 minutes/hr (applies to S-202 and S-203)	Continuous	N/A
Opacity	None	N/A	None	BAAQMD 6-1-301	Ringelmann No. 1 for < 3 minutes/hr (applies to A-2 and A- 4 Flares)	Continuous	N/A
FP	None	N/A	None	BAAQMD 6-1-310	≤ 0.15 grains/dscf (applies to A-2 and A- 4 Flares only)	Continuous	N/A

Site: Potr	ero Hills Landfill	Facility ID#:	A2039	9
	S-1 POTRERO HILLS LANDFILL, A-2 LANDFILL GAS FILL GAS FLARE; S-202 WASTE AND COVER MATERIAL CAVATING, BULLDOZING, AND COMPACTING ACTIVITIES	Reporting Period:	from	02/01/2022 through 07/31/2022

Type of Limit or Criteria	Monitoring Requirement Citation	Monitoring Type	Monitoring Frequency	Citation of Limit	Limit	Compliance	Corrective Actions Taken
Opacity	BAAQMD Condition# 1948, Part 13e	Records of all site watering and road cleaning events	Periodic / On event basis, Monthly	SIP 6-301	Ringelmann No. 1 for ≤ 3 minutes/hr (applies to S-202 and S-203)	Continuous	N/A
Opacity	None	N/A	None	SIP 6-301	Ringelmann No. 1 for < 3 minutes/hr (applies to A-2 Flare)	Continuous	N/A
FP	None	N/A	None	SIP 6-310	≤ 0.15 grains/dscf (applies to A-2 and A- 4 Flares only)	Continuous	N/A
SO ₂	None	N/A	None	BAAQMD 9-1-301	Property Line Ground Level Limits: ≤ 0.5 ppm for 3 minutes and ≤ 0.25 ppm for 60 min. and \leq 0.05 ppm for 24 hours (applies to A-2 and A-4 Flares only)	Continuous	N/A
SO ₂	BAAQMD Condition # 1948, Parts 10, 11d, and13j	Sulfur analysis of landfill gas and source test	Periodic / Quarterly	BAAQMD Regulation 9-1-302	≤ 300 ppm, (dry basis) (applies to A-2 and A- 4 Flares only)	Continuous	N/A

Site:	Potrero	Hills Landfill	Facility ID#:	A203	9
	LANDFILL	S-1 Potrero Hills Landfill, A-2 landfill gas gas flare; S-202 Waste and Cover Material ating, Bulldozing, and Compacting Activities	Reporting Period:	from	02/01/2022 through 07/31/2022

Type of Limit or Criteria	MonitoringMonitoringCitation of LimitLimitRequirementTypeFrequencyCitationLimitCitationLimitLimitLimitLimit		Limit	Compliance	Corrective Actions Taken		
Total Sulfur Content in Landfill Gas	BAAQMD Condition # 1948, Part 10 and 13j	Sulfur analysis of landfill gas	Periodic / Quarterly	BAAQMD Condition # 1948, Part 10	≤ 560 ppmv of TRS, expressed as H ₂ S, or (≤504 ppmv of hydrogen sulfide (H ₂ S), when measured using a Draeger Tube	Continuous	N/A
H ₂ S	BAAQMD Condition # 1948, Part 16	Monitoring to be proposed by operator	Periodic / On event basis	BAAQMD 9-2-301	Property Line Ground Level Limits: ≤ 0.06 ppm, averaged over 3 minutes and ≤ 0.03 ppm averaged over 60 min.	Continuous	N/A
Amount of Waste Accepted	BAAQMD Condition # 1948, Part 13a	Records	Periodic / Daily	BAAQMD Condition # 1948, Part 1a	≤ 4430 tons/day	Continuous	N/A

Site:	Potrero	Hills Landfill	Facility ID#:	A203	9
	LANDFILL	S-1 POTRERO HILLS LANDFILL, A-2 LANDFILL GAS GAS FLARE; S-202 WASTE AND COVER MATERIAL ATING, BULLDOZING, AND COMPACTING ACTIVITIES	Reporting Period:	from	02/01/2022 through 07/31/2022

Type of Limit or Criteria	Monitoring Requirement Citation	Monitoring Type	Monitoring Frequency	Citation of Limit	Limit	Compliance	Corrective Actions Taken
Amount of Waste Accepted	BAAQMD Condition # 1948, Part 13a	Records	Periodic / Daily	BAAQMD Condition # 1948, Part 1b	≤13,100,000 tons (cumulative amount of all decomposable materials placed in landfill)	Intermittent (see following comment)	Limit increased to 16,350,000 tons per current Condition #1948; Limit has been exceeded while Potrero awaits permit for landfill expansion. Note that Potrero has provided documentation (per Cond 1948, #1b) that shows the POC limit has not been exceeded. Also, compliance status related to delayed expansion permitting is being determined as part of Potrero's current Compliance Agreement with BAAQMD, effective 5/24/18. The Compliance Agreement has been extended seven times, and the current Agreement expires on October 1, 2022.

Site: Potr	Facility ID#:	A2039	9	
	S-1 POTRERO HILLS LANDFILL, A-2 LANDFILL GAS FILL GAS FLARE; S-202 WASTE AND COVER MATERIAL CAVATING, BULLDOZING, AND COMPACTING ACTIVITIES	Reporting Period:	from	02/01/2022 through 07/31/2022

Type of Limit or Criteria	Monitoring Requirement Citation	Monitoring Type	Monitoring Frequency	Citation of Limit	Limit	Compliance	Corrective Actions Taken
Amount of Waste Accepted	BAAQMD Condition # 1948, Part 13a	Records	Periodic / Daily	BAAQMD Condition # 1948, Part 1c	≤21,800,000 yd ³ (cumulative amount of all wastes and cover materials placed in landfill)	Intermittent (see following comment)	Limit has been exceeded while Potrero awaits permit for landfill expansion. Note that Potrero has provided documentation (per Cond 1948, #1c) that shows the POC limit has not been exceeded. Also, compliance status related to delayed expansion permitting is being determined as part of Potrero's current Compliance Agreement with BAAQMD, effective 5/24/18. The Compliance Agreement has been extended seven times, and the current Agreement expires on October 1, 2022.
Heat Input	BAAQMD Condition # 1948, Part 8	Records	Periodic / Daily	BAAQMD Condition # 1948, Part 8	For A-2 and A-4 combined: ≤2,049.3 MM BTU per day and ≤748,000 MM BTU per year	Continuous	N/A

Site: Potr	Facility ID#:	A2039	9	
	S-1 POTRERO HILLS LANDFILL, A-2 LANDFILL GAS FILL GAS FLARE; S-202 WASTE AND COVER MATERIAL CAVATING, BULLDOZING, AND COMPACTING ACTIVITIES	Reporting Period:	from	02/01/2022 through 07/31/2022

Type of Limit or Criteria	Monitoring Requirement Citation	Monitoring Type	Monitoring Frequency	Citation of Limit	Limit	Compliance	Corrective Actions Taken N/A
Heat Input	BAAQMD Condition #1948, Part 8	Records	Periodic / Daily	BAAQMD Condition #1948, Part 8a	<u>For A-2:</u> ≤ 1,080 MM BTU per day and ≤ 394,200 MM BTU per year	Continuous	
Heat Input	BAAQMD Condition #1948, Part 8	Records	Periodic / Daily	BAAQMD Condition #1948 Part 8b	For A-4: ≤ 1,728 MM BTU per day ≤ 630,720 MM BTU per year	Continuous	N/A
NOx	BAAQMD Condition #1948, Parts 11 and 20	Source testing	Periodic / On Event Basis	BAAQMD Condition #1948 Part 17	 < 0.06 pounds per million BTU, calculated as NO₂ (applies to A-4 Flare only) 	Continuous	N/A
CO	BAAQMD Condition #1948, Parts 11 and 20	Source testing	Periodic / On Event Basis	BAAQMD Condition #1948, Part 18	≤ 0.2 pounds per million BTU (applies to A-4 Flare only)	Continuous	N/A
CO	BAAQMD Condition #1948, Parts 11 and 20	Source testing and emission calculations	Periodic / On Event Basis	BAAQMD Condition #1948, Part 19	≤ 165,500 pounds (≤ 82.25 tons) in any consecutive 12-month period from A-2 and A-4 combined	Continuous	N/A

Site: P	otrero Hills Landfill	Facility ID#:	A2039
	it: S-1 Potrero Hills Landfill, A-2 landfill gas NDFILL gas flare; S-202 Waste and Cover Material Excavating, Bulldozing, and Compacting Activities	Reporting Period:	from 02/01/2022 through 07/31/2022

Type of Limit or Criteria	Monitoring Requirement Citation	Monitoring Type	Monitoring Frequency	Citation of Limit	Limit	Compliance	Corrective Actions Taken
Startup	40 CFR 63.1980(a-	Records (all	Periodic / On event	40 CFR 63.6(e)	Minimize Emissions	Continuous	N/A
Shutdown or	b)	occurrences,	basis		by Implementing SSM		
Malfunction		duration of			Plan		
Procedures		each,					
		corrective					
		actions)					

Site: Potrero Hills Landfill			Facility	y ID#:	A203	9
Permitted	Unit:	S-13 DIESEL IC ENGINE FOR POWER GENERATION	Report	ting Period:	from	02/01/2022 through 07/31/2022

Type of Monitoring Limit or Requirement Criteria Citation		Monitoring Type	Monitoring Frequency	Citation of Limit	Limit	Compliance	Corrective Actions Taken
Opacity	BAAQMD Condition # 18996, Part 2	Observation for visible smoke			Ringelmann 2.0 for ≤ 3 minutes in any hour	Continuous	N/A
FP	None	N/A	None	BAAQMD 6-1-310	<u>≤</u> 0.15 gr/dscf	Continuous	N/A
Opacity	BAAQMD Condition # 18996, Part 2	Observation for visible smoke	Periodic / On event basis	SIP Regulation 6-303	Ringelmann 2.0 for ≤ 3 minutes in any hour	Continuous	N/A
FP	None	N/A	None	SIP Regulation 6-310	≤ 0.15 gr/dscf	Continuous	N/A
Diesel PM	CCR Title 17, §93115.13(a)	Source test data	Periodic / On event basis	CCR Title 17, §93115.7(b)(1)	For non-certified engines: 85% reduction from baseline levels or 0.01 g/bhp-hr	Continuous	N/A
NOx	BAAQMD Regulation 9-8-501, 9-8-503	Initial Source Test and Portable Analyzer	P-Initial and P/Q	BAAQMD Regulation 9-8-304.2	≤110 ppmv, corrected to 15% oxygen, dry basis	Continuous	N/A
CO	BAAQMD Regulation 9-8-501, 9-8-503	Initial Source Test and Portable Analyzer	P-Initial and P/Q	BAAQMD Regulation 9-8-304.2	≤310 ppmv, corrected to 15% oxygen, dry basis	Continuous	N/A
SO ₂	None	N/A	None	BAAQMD 9-1-301	Property Line Ground Level Limits: ≤ 0.5 ppm for 3 minutes and ≤ 0.25 ppm for 60 min. and ≤	Continuous	N/A

Site:	Potrero Hills Lan	dfill		Facility ID#:	A2039		
Permitted	Unit: S-13 DIES	EL IC ENGINE FOR POWER	Generation	Reporting Perio	d: from 02/01/202	22 through 07/	31/2022
Type of Limit or Criteria	Monitoring Requirement Citation	Monitoring Type	Monitoring Frequency	Citation of Limit	Limit	Compliance	Corrective Actions Taken
					0.05 ppm for 24 hours		
Fuel Sulfur Content	BAAQMD Condition # 18996, Part 1	Vendor certification	Periodic / On event basis	BAAQMD 9-1-304	<u>≤</u> 0.5% sulfur by weight	Continuous	N/A
Fuel Sulfur Content	BAAQMD Condition # 18996, Part 1	Vendor certification	Periodic / On event basis	BAAQMD Condition # 18996, Part 1	<u>≤</u> 0.5% sulfur by weight	Continuous	N/A
Fuel Sulfur Content	BAAQMD Condition # 18996, Part 1	Vendor certification	Periodic / On event basis	CCR Title 17, §93115.5(a)	CARB diesel 0.0015% sulfur by weight and aromatic HC <10% by volume; alternative diesel fuel; or fuel meeting the Verification Procedure	Continuous	N/A
Maintenance Criteria	40 CFR Part 63, Subpart ZZZZ, Sections 63.6625, 63.6640(a), and Table 6(9)(a)	Maintenance plan and records	Periodic / On event basis	40 CFR Part 63, Subpart ZZZZ, Sections 63.6603(a), 63.6640(a), Table 2d(1)(a)	Change Oil and Filter every 1,000 hours of operation or annually, whichever comes first	Continuous	N/A
Maintenance Criteria	40 CFR Part 63, Subpart ZZZZ, Sections 63.6625, 63.6640(a), and Table 6(9)(a)	Maintenance plan and records	Periodic / On event basis	40 CFR Part 63, Subpart ZZZZ, Sections 63.6603(a), 63.6640(a), Table 2d(1)(b)	Inspect air cleaner every 1,000 hours of operation or annually, whichever comes first, and replace as necessary	Continuous	N/A
Maintenance Criteria	40 CFR Part 63, Subpart ZZZ, Sections 63.6625,	Maintenance plan and records	Periodic / On event basis	40 CFR Part 63, Subpart ZZZZ, Sections 63.6603(a),	Inspect all hoses and belts every 500 hours of operation or	Continuous	N/A

Site:	Site: Potrero Hills Landfill				A2039				
Permitted	Unit: S-13 DIES	EL IC ENGINE FOR POWER	Generation	Reporting Period: from 02/01/2022 through 07/31/2022					
		[1					
Type of Limit or Criteria	Monitoring Requirement Citation	Monitoring Type	Monitoring Frequency	Citation of Limit	Limit	Compliance	Corrective Actions Taken		
	63.6640(a), and Table 6(9)(a)			63.6640(a), Table 2d(1)(c)	annually, whichever comes first, and replace as necessary				

Site: Potrero Hills Landfill		Facility ID#:	A203	39	
Permitte	d Unit:	S-14 NON-RETAIL GASOLINE DISPENSING FACILITY	Reporting Period	from	02/01/2021 through 07/31/2021

Type of Limit or Criteria	Monitoring Requirement Citation	Monitoring Type	Monitoring Frequency	Citation of Limit	Limit	Compliance	Corrective Actions Taken
Gasoline Throughput	BAAQMD 8-7-501.1 and 8-7-503.1	Records	Periodic / annual	BAAQMD Condition 14098	≤940,000 gallons per 12-month period	Continuous	N/A
Throughput (exempt from Phase I)	BAAQMD 8-7-501 and 8-7-501.1 and 8- 7-503.2	Records	Periodic / On event basis	BAAQMD 8-7-114	≤1000 gallons per facility for tank integrity leak checking	Continuous	N/A
Organic Compounds	BAAQMD Condition # 25107	Static pressure performance test, ST-38	Periodic / Annual	BAAQMD 8-7-301.6	All Phase I Equipment (except components with allowable leak rates) shall be leak free (≤ 3 drops/ minute) and vapor tight	Continuous	N/A
Organic Compounds	BAAQMD Condition # 25107	Static pressure performance test, ST-38	Periodic / Annual	BAAQMD 8-7-302.5	All Phase II Equipment (except components with allowable leak rates or at the nozzle/ fill-pipe interface) Shall be leak free (≤ 3 drops/ minute) and vapor tight	Continuous	N/A

Site:	Potrero Hills Lan	dfill		Facility ID#: A2039						
Permitted	I Unit: S-14 Non	-RETAIL GASOLINE DISPENS	SING FACILITY	Reporting Period: from 02/01/2021 through 07/31/2021						
Type of Limit or Criteria	Monitoring Requirement Citation	Monitoring Type	Monitoring Frequency	Citation of Limit	Limit	Compliance	Corrective Actions Taken			
Organic SIP 8-5-403 and 8-5 Compounds 503		3 and 8-5- Semi-Annual Inspection with Portable Hydro- carbon Detector	Periodic / On event basis	SIP 8-5-303.2	Tank Pressure Vacuum Valve Shall Be: Gas Tight or ≤500 ppmv (expressed as methane) above background for PRVs (as defined in SIP 8- 5-206)	Continuous	N/A			
Defective Component Repair/Repl acement Time Limit	BAAQMD 8-7-503.2	Records	Periodic / On event basis	BAAQMD 8-7-302.4	≤ 7 days	Continuous	N/A			
Liquid Removal Rate	CARB EO	CARB Certification Procedures	Periodic / On event basis	BAAQMD 8-7-302.8	≥ 5ml per gallon dispensed, when dispensing rate >5 gallons/minute	Continuous	N/A			
Liquid Retain from Nozzles	CARB EO	CARB Certification Procedures	Periodic / On event basis	BAAQMD 8-7-302.12	≤100 ml per 1000 gallons dispensed	Continuous	N/A			
Nozzle Spitting	CARB EO	CARB Certification Procedures	Periodic / On event basis	BAAQMD 8-7-302.13	≤1.0 ml per nozzle per test	Continuous	N/A			

Site: Potrero Hills Landfill		Facility ID#:	A203	39	
Permitte	d Unit:	S-14 NON-RETAIL GASOLINE DISPENSING FACILITY	Reporting Period	from	02/01/2021 through 07/31/2021

Type of Limit or Criteria	Monitoring Requirement Citation	Monitoring Type	Monitoring Frequency	Citation of Limit	Limit	Compliance	Corrective Actions Taken
Pressure- Vacuum Valve Settings	CARB EO	CARB Certification Procedures	Periodic / On event basis	BAAQMD 8-7-316 and CARB EO	Pressure Setting: ≥2.5 inches of water, gauge	Continuous	N/A
Pressure- Vacuum Valve Settings	SIP 8-5-403 and CARB EO	Semi-Annual Inspection and CARB Certification Procedures	Periodic / On event basis	SIP 8-5-303.1	Pressure Setting: ≥10% of maximum working pressure or ≥0.5 psig	Continuous	N/A
Organics	CARB EO and BAAQMD 8-7-301.13 and 8-7-407 and BAAQMD Condition # 25107 40 CFR Part 63 Subpart CCCCCC	Annual Check for Vapor Tightness and Proper Operation of Vapor Recovery System	Periodic / Annual	BAAQMD 8-7-301.6	All Phase I Equipment (except components with allowable leak rates) shall be leak free (≤3 drops/minute) and vapor tight	Continuous	N/A