Permitted Unit: S-1 – Landfill Gas Collection System	Site: Shoreline Amphitheatre Landfill
ystem Reporting Period: from 06/01/2012 through 11/30/2012	Facility ID#: A2561

Type of Limit or Criteria  Collection System Installation Dates  Gas Flow  Gas Flow	Monitoring Requirement Citation  BAAQMD 8-34- 501.7 and 501.8  BAAQMD 8-34- 501.10 and 508  BAAQMD BAAQMD BAAQMD BAAQMD	Parameters Monitored  Records  Gas Flow Meter and Recorder (every 15 minutes)  Gas Flow Meter, Flare Alarms, and Records of	Monitoring Frequency Periodic / Event Basis Continuous Continuous Periodic / Daily	Citation of Limit  BAAQMD 8-34-304.1  BAAQMD 8-34-301.1  BAAQMD Condition #  876, Parts 3 and 4	For Inactive / Closed Areas: collection system components must be installed and operating by 2 years + 60 days after initial placement Landfill gas collection system shall operate continuously and all collected gases shall be vented to a properly operating control system Landfill gas collection system Landfill gas collection system Landfill gas collection system shall operate	Compliance Summary Continuous Continuous	Corrective Actions Taken N/A N/A Less than Continuous
Gas Flow	BAAGMD Condition # 876, Parts 10,11, and 18b-e and BAAGMD Regulation 8-34- 501.1 and 8-34- 501.2	Gas Flow Meter, Flare Alarms, and Records of Alarms, and Records of Landfill Gas Flow Rates, Collection and Control Systems Downtime, and Collection System Components	Periodic / Daily	BAAQMD Condition # 876, Parts 3 and 4	Landfill gas collection system shall operate continuously and all collected gases shall be vented to a properly operating control system	Intermittent	Less than Continuous (LTC) Operation petition expired on 6/1/12. LTC petition renewal submitted on 6/22/12. BAAQMD granted LTC renewal on 6/22/12.

Permitted Unit: S-1 - Landfill	Site: Shoreline Amphitheatre Landfill
S-1 - Landfill Gas Collection System	re Landfill
Reporting Pe	Facility ID#:
Period: fre	A

Type of Limit or Criteria  Collection and Control Systems Shutdown Time	Monitoring Requirement Citation  BAAQMD Condition # 876, Parts 18b, 18d,	Parameters Monitored Operating Records	Monitoring Frequency Periodic / Daily	Citation of Limit  BAAQMD 8-34-113.2	Limit ≤240 hours/year and 5 consecutive days	Compliance Summary Continuous	Corrective Actions Taken
Collection and Control Systems Shutdown Time	BAAQMD Condition # 876, Candition # 876, Parts 18b, 18d, and 18e and BAAQMD 8-34- 501.1	Operating Records	Periodic / Daily	BAAQMD 8-34-113.2	≤240 hours/year and 5 consecutive days	Continuous	N/A
Periods of In- operation for Parametric Monitors	BAAQMD 1- 523.4	Operating Records for All Parametric Monitors	Periodic / Daity	BAAQMD 1-523.2	≤15 consecutive days/incident and ≤30 days/12 month period	Continuous	N/A
Continuous monitors	40 CFR 60.7(b)	Operating Records for All Continuous Monitors	Periodic / Daily	40 CFR 60.13(e)	Requires Continuous Operation except for breakdowns, repairs, calibration, and required span adjustments	Continuous	Z
Wellhead Pressure	BAAQMD 8-34- 414, 501.9 and 505.1 and BAAQMD Condition # 876, Part 18i	Monthly Inspection and Records	Periodic / Monthly	BAAQMD 8-34-305.1 and BAAQMD Condition #876, Part 3b	< 0 psig (applies to each well or collector connected to vacuum)	Continuous	N/A
Temperature of Gas at Wellhead	BAAQMD 8-34- 414, 501.9 and 505.2 and BAAQMD Condition # 876, Part 18i	Monthly Inspection and Records	Periodic / Monthly	BAAQMD 8-34-305.2 and BAAQMD Condition #876, Part 3b	<55°C (131°) (applies to each well or collector connected to vacuum)	Continuous	N/A

Permitted Unit: S-1 – Landfill Gas Collection System	Site: Shoreline Amphitheatre Landfill
Reporting Period	Facility ID#:
1: from 06/01/2012 through 11/30/2012	A2561

Type of Limit or Criteria	Monitoring Requirement Citation	Parameters Monitored	Monitoring Frequency	Citation of Limit	Limit	Compliance Summary	Corrective Actions Taken
Gas Concentrations at Wellhead	BAAQMD Condition # 876, Part 3d —e and 18i	Monthly Inspection and Records	Periodic / Monthly	BAAQMD Condition #876, Part 3c(i)	O₂ ≤ 15% by volume (applies to all wells and collectors connected to vacuum, except as described in Part 3c (ii-iii))	Continuous	NA
Collection System Component Operating Requirements	BAAQMD Condition # 876, Parts 3d-e and 18i	Monthly Inspection and Records	Periodic / Monthly	BAAQMD 8-34-404 and BAAQMD Condition # 876, Part 3a(i & iii)	220 wells and collectors operating continuously at any one time and reconnect wells and collectors to vacuum when wellhead CH <sub>4</sub> > 20% by volume	Continuous	N/A
Well Shutdown Limits	BAAQMD 8-34- 117.6 and 501.1	Records	Periodic / Daily	BAAQMD 8-34-117.4	No more than 5 wells at a time or 10% of total collection system, whichever is less	Continuous	N/A
Well Shutdown Limits	BAAQMD 8-34- 117.6 and 501.1	Records	Periodic / Daily	BAAQMD 8-34-117.5	≤24 hours per well	Continuous	N/A
TOC (Total Organic Compounds Plus Methane)	BAAQMD 8-34- 501.6 and 503 and BAAQMD Condition # 876, Part 18i	Quarterly Inspection of Collection and Control System Components with Portable Analyzer and Records	Periodic / Quarterly	BAAQMD 8-34-301.2	≤1000 ppmv as methane (component leak limit)	Continuous	N/A
Surface emission monitoring (TOC)	BAAQMD 8-34- 415, 416, 501.6, 506 and 510 and BAAQMD Condition # 876, Part 18i	Monthly cover visual inspection of Cover; Quarterly Inspection with Portable Analyzer of Surface, Various Reinspection Times for Leaking Areas and Records	Periodic / Monthly, Quarterly, and Event Basis	BAAQMD 8-34-303	≤500 ppmv as methane at 2 inches above surface (surface leak limit)	Continuous	N/A

Olle: Ollofalle Alliphale Falidin
Permitted Unit: S-1 - Landfill Gas Collection System Reporting Period: from 06/01/2012 through 11/30/2012

Type of Limit or Criteria	Monitoring Requirement Citation	Parameters Monitored	Monitoring Frequency	Citation of Limit	Limit	Compliance Summary	Corrective Actions Taken
H <sub>2</sub> S	None	N/A	None	BAAQMD 9-2-301	Property Line Ground Level Limits: ≤0.06	Continuous	N/A
					ppm, averaged over 3 minutes and ≤0.03 ppm, averaged over 60		
Amount of Waste	BAAQMD	Records	Periodic /	BAAQMD Condition # 876 Part 1	0 tons/day and	Continuous	N/A
000	501.7						
					all wastes) and ≤542,000 yd³		
					(cumulative amount of		
					all wastes and cover materials)		
Startup Shutdown	40 CFR	Records (all occurrences,	Periodic/Eve	40 CFR 63.6(e)	Minimize Emissions by	Continuous	N/A
or Malfunction	63.1980(a-b)	duration of each,	nt Basis		Implementing SSM Plan		
Procedures		corrective actions)					

Permitted Unit: A-1 – Carbon Adsorption System	Site: Shoreline Amphitheatre Landfill
Reporting Period: fro	Facility ID#:
d: from 06/01/2012 through 11/30/2012	A2561

Type of Limit or Criteria	Monitoring Requirement Citation	Parameters Monitored	Monitoring Frequency	Citation of Limit	Limit	Compliance Summary	Corrective Actions Taken
Non-Methane Organic Compounds (NMOC)	BAAQMD 8-34-412 and 501.4 and BAAQMD Condition # 876, Parts 16 and 18i	Source Tests and Records	Periodic / Annual	BAAQMD 8-34-301.3	≥98% removal by weight OR < 30 ppmv, dry basis @ 3% O₂, expressed as methane (applies to A-2 Landfill Gas Flare only)	Continuous	Flare A-2 did not operate during the reporting period.
Temperature of Combustion Zone (CT)	BAAQMD 8-34- 501.3 and 507 and SIP 8-34-501.3 and BAAQMD Condition # 876, Part 9	Temperature Sensor and Recorder (continuous)	Continuous	BAAQMD Condition # 876, Part 8a	CT ≥1400°F, averaged over any 3-hour period (applies to A-2 Landfill Gas Flare when A-2 is operated alone)	Continuous	Flare A-2 did not operate during the reporting period.
Temperature of Combustion	BAAQMD 8-34- 501.3 and 507 and SIP 8-34-501.3 and	Temperature Sensor and Recorder (continuous)	Continuous	BAAQMD Condition # 876, Part 8b	CT ≥1200°F, averaged over any 3- hour period (applies to A-2 I andfill Gas	Continuous	Flare A-2 did not operate during the reporting period.
Opacity	Part 9	N/A	None	BAAQMD 6-1-301	down stream of A-1) Ringlemann No. 1 for <3 minutes/hour	Continuous	Flare A-2 did not operate during
					(applies to A-1) Carbon Adsorption System and A-2 Landfill Gas Flare)		period.
ξĐ	None	N/A	None	BAAQMD 6-1-310	≤0.15 grains/dscf (applies to A-1 Carbon Adsorption System and A-2 Landfill Gas Flare)	Continuous	Flare A-2 did not operate during the reporting period.

Permitted Unit: A-1 – Carbon Adsorption System	Site: Shoreline Amphitheatre Landfill
Reporting Period: fro	acility ID#:
from 06/01/2012 through 11/30/201	A2561

CO	NO <sub>x</sub>	Heat Input	Total Sulfur Content in Landfill Gas	SO <sub>2</sub>	SO <sub>2</sub>	Type of Limit or Criteria
708	<b>100</b>		S 7	→ # C B	7	<u>=</u>
BAAQMD Condition # 876, Parts 16d and 18i	BAAQMD Condition # 876, Parts 16d and 18i	BAAQMD Condition # 876, Parts 11, 18c, 18e, and 18f	BAAQMD Condition # 876, Parts 17 and 18h-i	BAAQMD Condition # 876, Parts 16g, or 17 and 18h-i	None	Monitoring Requirement Citation
Source Tests and Records	Source Tests and Records	Gas Flow Meter and Records	Annual TRS Analysis of Landfill Gas and Records	Annual TRS Analysis of Landfill Gas, or Annual SO <sub>2</sub> Test at Flare, and Records	N/A	Parameters Monitored
Annuai	Annual	Periodic / Continuous, Monthly	Periodic/ Annual	Periodic/ Annual	None	Monitoring Frequency
BAAQMD Condition # 876, Parts 7	BAAQMD Condition # 876, Parts 6	BAAQMD Condition # 876, Parts 5	BAAQMD Condition # 876, Part 15	BAAQMD Regulation 9-1-302	BAAQMD 9-1-301	Citation of Limit
s 83 ppmv of CO corrected to 15% O <sub>2</sub> . dry (applies to A-2 Landfill Gas Flare only)	corrected to 15% O <sub>2</sub> . dry (applies to A-2 Landfill Gas Flare	s86.4 MM BTU per day and s31,536 MM BTU per year (applies to A-2 landfill Gas Flare only)	≤1300 ppmv, express as H₂S	≤ 300 ppm (dry basis) (applies to A-2 Landfill Gas Flare only)	Property Line Ground Level Limits: <0.5 ppmb for 3 minutes and <0.25 ppm for 60 min. and <0.05 ppm for 24 hours (applies to A-2 Landfill Gas Flare only)	Limit
Continuous	Continuous	Continuous	Continuous	Continuous	Continuous	Compliance Summary
Flare A-2 did not operate during the reporting period.	Flare A-2 did not operate during the reporting period.	Flare A-2 did not operate during the reporting period.	Flare A-2 did not operate during the reporting period.	Flare A-2 did not operate during the reporting period.	Flare A-2 did not operate during the reporting period.	Corrective Actions Taken

Permitted Unit: A-1 – Carbon Adsorption System	Site: Shoreline Amphitheatre Landfill
Reporting Period: fro	Facility ID#:
from 06/01/2012 through 11/30/2012	A2561

NMOC BAAQMD 8-34-501.11 and 8-34 and BAAQMD Condition # 876, Parts 14 and 18, 876, Parts 14 and 18g	Type of Monitoring Limit or Requirement Criteria Citation
BAAQMD 8-34-509 501. 11 and 8-34-509 and BAAQMD Condition # 876, Parts 14 and 18g  BAAQMD Condition # 876, Parts 14 and 18g 18g	ing ment
Periodic Monitoring of A-1 Exhaust with a Portable Analyzer and Records  Periodic Monitoring of A-1 Exhaust with a Portable Analyzer and Records  Analyzer and Records	Parameters Monitored
Periodic / Event Basis (at least once for every 16 hours of A-1 operation; after conc. Is > 90 ppm, at least once for every 8 hours of A-1 operation) Periodic / Event Basis (at least once for every 16 hours of A-1 operation; after conc. Is > 90 ppm, at least once for every 8 hours of A-1 operation; after conc. Is > 90 ppm, at least once for every 8 hours of A-1 operation;	Monitoring Frequency
BAAQMD 8-34-301.4 BAAQMD Condition # 876, Parts 13	Citation of Limit
yeight OR < 120 ppmv, dry basis @ 3% O <sub>2</sub> , expressed as methane (applies to A-1 Carbon Adsorption System only)  Replace carbon when exhaust concentration exceeds 108 ppmv, dry basis @ 3% O <sub>2</sub> expressed as methane (applies to A-1 Carbon Adsorption System only)	Limit
Continuous	Compliance Summary
inspector approved weekly sampling of carbon adsorption system due to consistently low NMOC concentrations.  BAAQMD inspector approved weekly sampling of carbon adsorption system due to consistently low NMOC concentrations.	Corrective Actions Taken

Permitted Unit: S-3 – Diesel Engine	Site: Shoreline Amphitheatre Landfill
Reporting Perior	Facility ID#:
d: from 06/01/2012 through 11/30/2012	A2561

ous,	Liquid Fuel BAAMQD Condition # Vendor certification Periodic / Sulfur 19912, Part 4f Event Basis Title 13, Section 2281 (a)(1-5)	Liquid Fuel BAAQMD Condition Vendor certification Periodic / BAAQMD Regulation 9- Sulfur # 19912, Part 4f Event Basis 1-304	SO <sup>2</sup> None N/A No monitoring BAAQMD 9-1-301	FP None N/A No monitoring BAAQMD 6-1-310	Opacity None N/A No monitoring BAAQMD 6-1-303	Type of Monitoring Parameters Monitoring Citation of Limit or Requirement Monitored Frequency Criteria Citation
			z	z	z	ď
Periodic / Continuous, Monthly		eriodic / vent Basis	o monitoring	o monitoring	o monitoring	lonitoring
BAAQMD Condition # 19912, Part 1 and CCR Title 17, Section 93115.6(b)(3)(A)(1)(a)	CCR Title 17, Section 93115.5 9b) and CCR Title 13, Section 2281 (a)(1-5)	BAAQMD Regulation 9- 1-304	BAAQMD 9-1-301	BAAQMD 6-1-310	BAAQMD 6-1-303	Citation of Limit
Operating Hours for Reliability-Related Activities: ≤20 hours in a calendar year	Standby Engines must use CARB Diesel Fuel or other CARB Approved Alternative Fuel, which has Fuel Sulfur Limits of: ≤500 ppmw of S (≤0.05% S, by weight) or ≤15 ppmw of S (for fuel sold after 6/1/06)	Fuet Sulfur Limit: 0.5% by weight	Property Line Ground Level Limits: ≤0.5 ppm for 3 minutes and ≤0.25 ppm for 60 minn and ≤0.05 ppm for 24 hours	≤0.15 grains/dscf	Ringelmann No.2 for <3 minutes/hour	Limit
Continuous	Continuous	Continuous	Continuous	Continuous	Continuous	Compliance Summary
<del></del>	Z	N A	N/A	N/A	N/A	Corrective Actions Taken